

DAFTAR PUSTAKA

- Abdel Bar, F. M., Khanfar, M. A., Elnagar, A. Y., Badria, F. A., Zaghloul, A. M., Ahmad, K. F., Sylvester, P. W., dan El Sayed, K. A. (2010): Design and pharmacophore modeling of biaryl methyl eugenol analogs as breast cancer invasion inhibitors, *Bioorganic & Medicinal Chemistry*, **18**, 496 – 507.
- Abdul Rahim, N. H. C., Asari, A., Ismail, N., dan Osman, H. (2017): Synthesis and antibacterial study of eugenol derivatives, *Asian Journal of Chemistry*, **29**, 22 – 26.
- Abourashed, E. A. dan El-Alfy, A. T. (2016): Chemical diversity and pharmacological significance of the secondary metabolites of nutmeg (*Myristica fragrans* Houtt.), *Phytochemistry Reviews*, **15**, 1035 – 1056.
- Abrams, J. N., Zhao Q., Ghiviriga, I., dan Minaruzzaman (2012): Palladium(II)-catalyzed enyne cyclization strategies toward the podophyllotoxin ring system, *Tetrahedron*, **68**, 423 – 428.
- Adak, A. K., Mandal, A., Manna, S. K., Mondal, S. K., Jana, A. Ghosh, D. Kundu, D., Samanta, S., dan Ray, J. K. (2016): Pd(0) catalyzed intramolecular Heck reaction: a general route for fused oxepine derivatives Pd(0) catalyzed intramolecular Heck reaction, *Synthetic Communications*, **46**, 452 – 459.
- Adibi, H., Hajipour, A. R., dan Hashemi, M. (2007): A convenient and regioselective oxidative bromination of electron-rich aromatic rings using potassium bromide and benzyltriphenylphosphonium peroxymonosulfate under nearly neutral reaction conditions, *Tetrahedron Letters*, **48**, 1255 – 1259.
- Albadi, J., Tajik, H., Keshavarz, M., dan Abedini, M. (2013): Poly(4-vinylpyridinium bromochromate): an efficient reagent for bromination of aromatic compounds, *Monatshefte für Chemie*, **144**, 179 – 181.
- Alinehzad, H., Tavakkoli, S. M., dan Salehian, F. (2010): Efficient, rapid, and regioselective bromination of phenols and anilines with *N*-bromosaccharin using tungstophosphoric acid as a heterogenous recyclable catalyst, *Synthetic Communications*, **40**, 3226 – 3232.
- Allen, C. F. H. dan Byers Jr., J. R. (1948): A synthesis of coniferyl alcohol, *Science*, **107**, 269.
- Allen, C. F. H. dan Byers Jr., J. R. (1949): A synthesis of coniferyl alcohol and coniferyl benzoate, *Journal of the American Chemical Society*, **71**, 2683 – 2684.
- Amer, H., Mimini, V., Schild, D., Rinner, U., Bacher, M., Potthast, A., dan Rosenau, T. (2019): Gram-scale economical synthesis of *trans*-coniferyl alcohol and its corresponding thiol, *Holzforschung*, **74**, 197 – 202.
- Andrews, R. C., Teague, S. J., dan Meyers, A. I. (1988): Asymmetric total synthesis of (–)-podophyllotoxin. *Journal of the American Chemical Society*, **110**, 7854 – 7858.

- Andrievsky, A. M. dan Gorelik, M. V. (2011): Bromination of deactivated aromatic compounds, *Russian Chemical Reviews*, **80**, 421 – 428.
- Anslyn, E. V. dan Dougherty, D. A. (2006): *Modern physical organic chemistry*, University Science Books, 460 – 461.
- Ardalani, H., Avan, A., dan Ghayour-Mobarhan, M. (2017): Podophyllotoxin: a novel potential natural anticancer agent, *Avicenna Journal of Phytomedicine*, **7**, 285 – 294.
- Armarego, W. L. F. (2017): *Purification of laboratory chemicals 8th Edition*, Butterworth-Heinemann, Oxford, 99.
- Attanasi, O. A., Berretta, S., Favi, G., Filippone, P., Mele, G., Moscatelli, G., dan Saladino, R. (2006): Tetrabromo hydrogenated cardanol: efficient and renewable brominating agent, *Organic Letters*, **8**, 4291 – 4293.
- Auerbach, J., Weissman, S. A., Blacklock, T. J., Angeles, M. R., dan Hoogsteen, K. (1993): *N*-Bromosuccinimide/dibromodimethylhydantoin in aqueous base: a practical method for the bromination of activated benzoic acids, *Tetrahedron Letters*, **34**, 931 – 934.
- Baharfar, R., Alinezhad, H., Azimi, S., dan Salehian, F. (2011): Regioselective and high-yielding bromination of phenols and anilines using *N*-bromosaccharin and Amberlyst-15, *Journal of The Chilean Chemical Society*, **56**, 863 – 865.
- Balba, H. M. dan Still, G. G. (1978): Synthesis of ¹⁴C-coniferyl alcohol (4-hydroxy-3-methoxycinnamyl alcohol), *Journal of Labelled Compounds and Radiopharmaceuticals*, **15**, 309 – 318.
- Barboza, J. N., Filho, C. S. M. B., Silva, R. O., Medeiros, J. V. R., dan de Sousa, D. P. (2018): An overview on the anti-inflammatory potential and antioxidant profile of eugenol, *Oxidative Medicine and Cellular Longevity*, Article ID 3957262.
- Barclay, L. R. C., Xi, F., dan Norris, J. Q. (1997): Antioxidant properties of phenolic lignin model compounds, *Journal of Wood Chemistry and Technology*, **17**, 73 – 90.
- Basak, A., Nayak, M. K., dan Chakraborti, A. K. (1998): Chemoselective *O*-methylation of phenols under non-aqueous condition, *Tetrahedron Letters*, **39**, 27, 4883-4886.
- Berthelot, J., Guette, C., Desbène, P-L., Basselier, J-J., Chaquin, P., dan Masure, D. (1989): Bromation régiosélective en série aromatique. I: Monobromination en position *para* de phénols et d'amines aromatiques par le tribromure de tétrabutylammonium, *Canadian Journal of Chemistry*, **67**, 2061 – 2066.
- Bhagat, S. D., Mathur, R. K., dan Siddhanta, N. N. (1982): Synthesis of new derivatives of eugenol and isoeugenol, *Journal of Chemical & Engineering Data*, **27**, 209 – 210.
- Bhatt, S. dan Nayak, S. K. (2007): Copper(II) bromide: a simple and selective monobromination reagent for electron-rich aromatic compounds, *Synthetic Communications*, **37**, 1381 – 1388.

- Biajoli, A. F. P., Schwalm, C. S., Limberger, J., Claudino, T. S., dan Monteiro, A. L. (2014): Recent progress in the use of Pd-catalyzed C-C cross-coupling reactions in the synthesis of pharmaceutical compounds, *Journal of the Brazilian Chemical Society*, **25**, 2186 – 2214.
- Bialski, A. M., Luthe, C. E., Fong, J. L., dan Lewis, N. G. (1986): Sulphite-promoted delignification of wood: identification of paucidisperse lignosulfonates, *Canadian Journal of Chemistry*, **64**, 1336 – 1344.
- Bogucki, D. E. dan Charlton, J. L. (1995): An asymmetric synthesis of (–)-deoxypodophyllotoxin, *The Journal of Organic Chemistry*, **60**, 588 – 593.
- Bora, U., Bose, G., Chaudhuri, M. K., Dhar, S. S., Gopinath, R., Khan, A. T., dan Patel, B. K. (2000): Regioselective bromination of organic substrates by tetrabutylammonium bromide promoted by V_2O_5 - H_2O_2 : an environmentally favorable synthetic protocol, *Organic Letters*, **2**, 247 – 249.
- Borikar, S. P., Daniel, T., dan Paul, V. (2009): An efficient, rapid, and regioselective bromination of anilines and phenols with 1-butyl-3-methylpyridinium tribromide as a new reagent/solvent under mild conditions, *Tetrahedron Letters*, **50**, 1007 – 1009.
- Borikar, S. P., Daniel, T., dan Paul, V. (2010): Mild, efficient, and regioselective monobromination of arylamines and phenols using [BBIm] Br_3 as a new reagent, *Synthetic Communications*, **40**, 647 – 653.
- Bovonsombat, P., Ali, R., Khan, C., Leykajarakul, J., Pla-on, K., Aphimanchindakul, S., Pungcharoenpong, N., Timsuea, N., Arunrat, A., dan Punpongjareorn, N. (2010): Facile *p*-toluenesulfonic acid-promoted *para*-selective monobromination and chlorination of phenol and analogues, *Tetrahedron*, **66**, 6928 – 6935.
- Bovonsombat, P., Teecomegaet, P., Kulvaranon, P., Pandey, A., Chobtumskul, K., Tungsirirurp, S., Sophanpanichkul, P., Losuwanakul, S., Soimaneewan, D., Kanjanwongpaisan, P., Siricharoensang, P., dan Choosakoonkriang, S. (2017): Regioselective monobromination of aromatics via a halogen bond acceptor-donor interaction of catalytic thioamide and *N*-bromosuccinimide, *Tetrahedron*, **73**, 6564 – 6572.
- Boztas, M., Taslimi, P., Yavari, M. A., Gulcin, I., Sahin, E., dan Menzek, A. (2019): Synthesis and biological evaluation of bromophenol derivatives with cyclopropyl moiety: ring opening of cyclopropane with monoester, *Bioorganic Chemistry*, **89**, 103017.
- Bräse, S. dan de Meijere, A. (2002): Part IV. Palladium-catalyzed reactions involving carbopalladation, 1123 – 1132 dalam E. Negishi, ed, *Handbook of Organopalladium Chemistry for Organic Synthesis. Vol. 1*, 1659 hal., John Wiley & Sons, New York-Amerika Serikat.
- Brittain, J. M., de la Mare, P. B. D., dan Newman, P. A. (1980): Substitution *meta*- to an aromatic hydroxyl group, *Tetrahedron Letters*, **21**, 4111 – 4112.
- Bush, E. J. dan Jones, D. W. (1996): Asymmetric total synthesis of (–)-podophyllotoxin, *Journal of The Chemical Society, Perkin Transactions 1*, 151–155.

- Buskes, M. J. dan Blanco, M.-J. (2020): Impact of cross-coupling reactions in drug discovery and development, *Molecules*, **25**, 3493.
- Butler, A. dan Walker, J. V. (1993): Marine haloperoxidases, *Chemical Reviews*, **93**, 1937 – 1944.
- Calò, V., Lopez, L., Pesce, G., Ciminale, F., dan Todesco, P. E. (1974): Solvent effect on the *ortho:para* ratio in the bromination of phenols. Bromination with bromocyclohexadienones and *N*-bromosuccinimide, *Journal of the Chemical Society, Perkin Transactions 2*, 1189 – 1191.
- Camacho-Dávila, A. A., Chávez-Flores, D., Zaragoza-Galán, G., dan Ramos-Sánchez, V. H. (2015): Sustainable synthesis of the naturally hypolipidemic agent α -asarone, *Synthetic Communications*, **45**, 1669 – 1674.
- Campeau, L.-C. dan Hazari, N. (2019): Cross-coupling and related reactions: connecting past success to the development of new reactions for the future, *Organometallics*, **38**, 3 – 35.
- Canel, C., Moraes, R. M., Dayan, F. E., dan Ferreira, D. (2000): Podophyllotoxin, *Phytochemistry*, **54**, 115 – 120.
- Cao, G. dan Yang, X. (2014): Biotransformation of methyleugenol by rat hepatic microsomes, *Journal of Chinese Pharmaceutical Sciences*, **23**, 311 – 316.
- Capriati, V., Florio, S., Luisi, R., Perna, F. M., Salomone, A., dan Gasparrini, F. (2005): An efficient route to tetrahydronaphthols via addition of ortho-lithiated stilbene oxides to α,β -unsaturated Fischer carbene complexes, *Organic Letters*, **7**, 4895 – 4898.
- Carey, F. A. dan Sundberg, R. J. (2007): *Advanced organic chemistry: Part A: structure and mechanisms*, Springer, New York, 474 – 475, 486 – 489.
- Carrasco A., H., Espinoza C., L., Cardile, V., Gallardo, C., Cardona, W., Lombardo, L., Catalán M., K., Cuellar F., M., dan Russo, A. (2008): Eugenol and its synthetic analogues inhibit cell growth of human cancer cells (part I), *Journal of the Brazilian Chemical Society*, **19**, 543 – 548.
- Carreño, M. C., Ruano, J. L. G., Sanz, G., Toledo, M. A., dan Urbano, A. (1995): *N*-Bromosuccinimide in acetonitrile: a mild and regioselective nuclear brominating reagent for methoxybenzenes and naphthalenes, *The Journal of Organic Chemistry*, **60**, 5328 – 5331.
- Carreño, M. C., Ruano, J. L. G., Sanz, G., Toledo, M. A., dan Urbano, A. (1997): *N*-Bromosuccinimide as a regioselective nuclear monobrominating reagent for phenols and naphthols, *Synlett*, 1241 – 1242.
- Casey, M. dan Keaveney, C. M. (2004): A concise stereocontrolled formal total synthesis of ($\pm$)-podophyllotoxin using sulfoxide chemistry, *Chemical Communications*, 184 – 185.
- Chaitramallu, M., Kesagodu, D., Chandrashekarachar, D., dan Ranjini, R. (2016): Synthesis and characterization of podophyllotoxin analogues, *Organic Chemistry Current Research*, **5**, 170 – 175.
- Charruault, L., Michelet, V., dan Genêt, J.-P. (2002): Pd-catalyzed route to ($\pm$)-podophyllotoxin skeleton. Synthesis of the aryltetralin derivative, *Tetrahedron Letters*, **43**, 4757 – 4760.

- Chaudhuri, M. K., Khan, A. T., Patel, B. K., Dey, D., Kharmawopflang, W., Lakshmiprabha, T. R., dan Mandal, G. C. (1998): An environmentally benign synthesis of organic ammonium tribromides (OATB) and bromination of selected organic substrates by tetrabutylammonium tribromide (TBATB), *Tetrahedron Letters*, **39**, 8163 – 8166.
- Chaudhuri, S. K., Roy, S., Saha, M., dan Bhar, S. (2007): Regioselective aromatic electrophilic bromination with dioxane dibromide under solvent-free conditions, *Synthetic Communications*, **37**, 579 – 583.
- Chaurasia, O. P., Ballabh, B., Tayade, A., Raj Kumar, Phani Kumar, G., dan Singh, S. B. (2012): *Podophyllum* L.: an endangered and anticancerous medicinal plant – An overview, *Indian Journal of Traditional Knowledge*, **11**, 234 – 241.
- Chen, A-J., Chen, X-R., dan Mou, C-Y. (2010): Highly regioselective oxybromination in an aqueous system using SBA-15 supported sulfated zirconia catalyst, *Journal of the Chinese Chemical Society*, **57**, 820 – 828.
- Chen, A-J., Wong, S-T., Hwang, C-C., dan Mou, C-Y. (2011): Highly efficient and regioselective halogenation over well dispersed rhenium-promoted mesoporous zirconia, *ACS Catalysis*, **1**, 786 – 793.
- Chen, S-N., Fabricant, D. S., Lu, Z-Z., Zhang H., Fong H. H. S., Farnsworth, N. R. (2002): Cimiracemates A–D, phenylpropanoid esters from the rhizomes of *Cimicifuga racemosa*, *Phytochemistry*, **61**, 409 – 413.
- Chhattise, P. K., Ramaswamy, A. V., Waghmode, S. B. (2008): Regioselective, photochemical bromination of aromatic compounds using *N*-bromosuccinimide, *Tetrahedron Letters*, **49**, 189 – 194.
- Chi, P. T., Maimone, T. J. (2014): C–H bond arylation in the synthesis of aryltetralin lignans: a short total synthesis of podophyllotoxin, *Angewandte Chemie International Edition*, **53**, 3115 – 3119.
- Chittimalla S. K., Bandi, C., Putturu, S., Kuppusamy, R., Boellaard, K. C., Chu, D. A. T., Ming, D. J. L. (2014a): Access to 3-arylindoles through a tandem one-pot protocol involving dearomatization, a regioselective Michael addition reaction, and rearomatization, *European Journal of Organic Chemistry*, 2565 – 2575.
- Chittimalla, S. K., Kuppusamy, R., dan Bandi, C. (2014b): A detour route for *meta* functionalization of phenols, *Synlett*, **25**, 1991 – 1996.
- Choudary, B. M., Sudha, Y., dan Reddy, P. N. (1994): Regioselective oxybromination of activated aromatic compounds catalysed by ammonium molybdate, *Synlett*, 450.
- Clayden, J., Kenworthy, M. N., dan Helliwell, M. (2003): Dearomatizing cyclization of arylsulfonylalkoxymethyl lithiums: a route to the podophyllotoxin skeleton, *Organic Letters*, **5**, 831–834.
- Clive, D. L. J., Fletcher, S. P. dan Liu, D. (2004): Formal radical cyclization onto benzene rings: a general method and its use in the synthesis of *ent*-nocardione A. *The Journal of Organic Chemistry*, **69**, 3282 – 3293.

- Clive, D. L. J., Fletcher, S. P., dan Zhu, M. (2003): Formal radical cyclization onto benzene rings – a general method proceeding via cross-conjugated dienones, *Chemical Communications*, 526 – 527.
- Coleman, R. S. dan Grant, E. B. (1991): An efficient synthesis of the naphtalene subunits of the protein kinase C inhibitor calphostin C, *The Journal of Organic Chemistry*, **56**, 1357 – 1359.
- Coolen, H. K. A. C., Meeuwis, J. A. M., van Leeuwen, P. W. N. M., dan Nolte, R. J. M. (1995): Substrate selective catalysis by rhodium metallohosts, *Journal of the American Chemical Society*, **117**, 48, 11906-11913.
- Cortés-Rojas, D. F., de Souza, C. R., dan Oliveira, W. P. (2014): Clove (*Syzygium aromaticum*): a precious spice, *Asian Pasific Journal of Tropical Biomedicine*, **4**, 90 – 96.
- Criquet, J., Rodriguez, E. M., Allard, S., Wellauer, S., Salhi, E., Joll, C.A., dan von Gunten, U. (2015): Reaction of bromine and chlorine with phenolic compounds and natural organic matter extracts – Electrophilic aromatic substitution and oxidation, *Water Research*, **85**, 476 – 486.
- da Silva, F. F. M., Monte, F. J. Q., de Lemos, T. L. G., do Nascimento, P. G. G., Costa, A. K. de M. dan de Paiva, L. M. M. (2018): Eugenol derivatives: synthesis, characterization, and evaluation of antibacterial and antioxidant activities, *Chemistry Central Journal*, **12**, 34.
- Dai, H-X., Li, G., Zhang, X-G., Stepan, A.F., dan Yu, J-Q. (2013): Pd(II)-catalyzed *ortho*- or *meta*-C–H olefination of phenol derivatives, *Journal of the American Chemical Society*, **135**, 7567–7571.
- Dakka, J. dan Sasson, Y. (1987): Quaternary ammonium salts as bifunctional catalysts in the oxybromination of aromatic compounds by aqueous hydrogen bromide/hydrogen peroxide, *Journal of The Chemical Society, Chemical Communications*, **19**, 1421 – 1422.
- Das, B., Venkateswarlu, K., Krishnaiah, M., dan Holla, H. (2006): An efficient, rapid and regioselective nuclear bromination of aromatics and heteroaromatics with NBS using sulfonic-acid-functionalized silica as a heterogenous recyclable catalyst, *Tetrahedron Letters*, **47**, 8693 – 8697.
- Das, B., Venkateswarlu, K., Majhi, A., Siddaiah, V., dan Reddy, K. R. (2007): A facile nuclear bromination of phenols and anilines using NBS in the presence of ammonium acetate as a catalyst, *Journal of Molecular Catalysis A: Chemical*, **267**, 30 – 33.
- de Morais, S. M., Vila-Nova, N. S., Bevilaqua C. M. L., Rondon, F. C., Lobo, C. H., Moura, A. A. A. N., Sales, A. D., Rodrigues, A. P. R., de Figueiredo, J. R., Campello, C. C., Wilson, M. E., dan de Andrade Jr., H. F. (2014): Thymol and eugenol derivatives as potential antileishmanial agents, *Biorganic & Medicinal Chemistry*, **22**, 6250 – 6255.
- de Rege, F. M. G dan Buchwald, S. L. (1995): The regioselective synthesis of halophenols, *Tetrahedron*, **51**, 4291 – 4296.
- de Souza, N. J., Kothare, A. N., dan Nadkarny, V. V. (1966): Potential antimicrobial agents. Bromo compounds of eugenol, *The Journal of Organic Chemistry*, **9**, 618 – 620.

- Deck, L. M., Brazwell, E. M., Vander Jagt D. L., dan Royer, R. E. (1990): Improved synthesis of 1,2-dimethoxy-3-isopropylbenzene and general synthesis of 3-substituted-1,2-dimethoxybenzenes, *Organic Preparations and Procedures International*, **22**, 495 – 500.
- Deffieux, D., Gossart, P., dan Quideau, S. (2014): Facile and sustainable synthesis of the natural antioxidant hydroxytyrosol, *Tetrahedron Letters*, **55**, 2455 – 2458.
- Delogu, G., Fabbri, D., Dettori, M. A., Forni, A., dan Casalone, G. (2004): Enantiopure 2,2'-dihydroxy-3,3'-dimethoxy-5,5'-diallyl-6,6'-dibromo-1,1'-biphenyl: a conformationally stable C₂-dimer of a eugenol derivative, *Tetrahedron: Asymmetry*, **15**, 275 – 282.
- Deng, B-L., Hartman, T. L., Buckheit Jr., R. W., Pannecouque, C., de Clercq, E., Fanwick, P. E., dan Cushman, M. (2005): Synthesis, anti-HIV activity, and metabolic stability of new alkenyldiarylmethane (ADAM) HIV-1 non-nucleoside reverse transcriptase inhibitor (NNRTIs), *Journal of Medicinal Chemistry*, **48**, 6140 – 6155.
- Deshmukh, A. P., Padiya, K. J., Jadhav, V. K., dan Salunkhe, M. M. (1998): Halogenation of aromatic compounds by using sodium perborate as an oxidant, *Journal of Chemical Research, Synopses*, 828 – 829.
- Devendar, P., Qu, R-Y., Kang, W-M., He, B., dan Yang, G-F. (2018): Palladium-catalyzed cross-coupling reactions: a powerful tool for the synthesis of agrochemicals, *Journal of Agricultural and Food Chemistry*, **66**, 8914 – 8934.
- Dewick, P. M. (2009): *Medicinal natural products: a biosynthetic approach*, John Wiley & Sons, West Sussex, 151 – 156.
- Díaz-Álvarez, A. E., Crochet, P., dan Cadierno, V. (2012): A general route for the stereoselective synthesis of (*E*)-(1-propenyl)phenyl esters by catalytic C=C bond isomerization, *Tetrahedron*, **68**, 2611 – 2620.
- Dijkstra, P. J., den Hertog, Jr., H. J., van Eerden, J., Harkema, S., dan Reinhoudt, D. N. (1988): 4*H*-Pyran and pyrylium hemispherands: partly preorganized ionophores with reactive molecular cavities, *The Journal of Organic Chemistry*, **53**, 374 – 382.
- Dötz, K. H. dan Popall, M. (1988): Chelat-carben-komplexe als schlüssel-reagentien bei synthesen in der daunomycinon-reihe: regiospezifische anellierung von arylcarbenliganden as strategie zum aufbau von B- und C-ring, *Chemische Berichte*, **121**, 665 – 672.
- Du, F., Zhou, Q., Liu, D., Fang, T., Shi, Y., Du, Y., dan Chen, G. (2018): Dimerization of aromatic compounds using palladium-carbon-catalyzed Suzuki-Miyaura cross-coupling by one-pot synthesis, *Synlett*, **29**, 779 – 784.
- Dubois, J. E., Toullec, J., dan Fain, D. (1973): Addition du brome sur l'allyl-4-anisole via un intermédiaire phenonium, *Tetrahedron Letters*, **49**, 4859 – 4860.

- Dzialo, M., Mierziak, J., Korzun, U., Preisner, M., Szopa, J., dan Kulma, A. (2016): The potential of plant phenolics in prevention and therapy of skin disorders, *International Journal of Molecular Sciences*, **17**, 160.
- Eey, S. T.-C. dan Lear, M. J. (2010): A bismuth(III)-catalyzed Friedel-Crafts cyclization and stereocontrolled organocatalytic approach to (-)-platensimycin, *Organic Letters*, **12**, 5510 – 5513.
- Esakkidurai, T., Kumarraja, M., dan Pitchumani, K. (2004): Selectivity in bromination of aromatic substrates by molecular bromine in the presence of reusable zeolites, *Catalysis Letters*, **92**, 169 – 174.
- Eugenol ReagentPlus®, 99%, diperoleh melalui situs internet: www.sigmaaldrich.com. Diunduh pada tanggal 10 Mei 2022.
- Fache, F., Suzan, N., dan Piva, O. (2005): Total synthesis of cimracemate B and analogs, *Tetrahedron*, **61**, 5261 – 5266.
- Fan, H, Zhu, Z., Xian, H., Wang, H., Chen, B., Tang, Y., Tang, Y., dan Liang, X. (2021): Insight into the molecular mechanism of podophyllotoxin derivatives as anticancer drugs, *Frontiers in Cell and Developmental Biology*, **9**, 709075.
- Fang, X. dan Hu, X. (2018): Advances in the synthesis of lignan natural products, *Molecules*, **23**, 3385.
- FAO: Food and Agriculture Data: Crops, diperoleh melalui situs internet: <http://www.fao.org/faostat/en/#data/QC>. Diunduh pada 10 Mei 2022.
- Farias, M. d'A., Oliveira, P. S., Dutra, F. S. P., Fernandes, T. J., de Pereira, C. M. P., de Oliveira, S. Q., Stefanello, F. M., Lencina, C. L., dan Barschak, A. G. (2013): Eugenol derivatives as potential anti-oxidants: is phenolic hydroxyl necessary to obtain an effect?, *Journal of Pharmacy and Pharmacology*, **66**, 733 – 746.
- Firouzabadi, H., Iranpoor, N., dan Amani, K. (2003): Heteropoly acid cesium salt/cetyltrimethylammonium bromide a catalytic heterogenous system which highly controls regioselective bromination of aromatic compounds with bromine, *Journal of Molecular Catalysis A: Chemical*, **195**, 289 – 294.
- Fischer, A. dan Henderson, G. N. (1983): *ipso* Halogenation. II. Bromination of phenols, isomerization and disproportionation of bromophenols, and dienone-phenol rearrangement of bromodienones, *Canadian Journal of Chemistry*, **61**, 1045 – 1052.
- Flessner, T. dan Doye, S. (1999): Cesium carbonate: a powerful inorganic base in organic synthesis, *Journal für Praktische Chemie*, **341**, 186 – 190.
- Foley, D. W., Bermudez, I., Bailey, P. D., dan Meredith, D. (2016): A cyclosporine derivative is a substrate of the oligopeptide transporter PepT1, *Medicinal Chemistry Communication*, **7**, 999 – 1002.
- Fontenelle, R. O. S., Morais, S. M., Brito, E. H. S., Brilhante, R. S. N., Cordeiro, R. A., Lima, Y. C., Brasil N. V. G. P. S., Monteiro, A. J., Sidrim, J. J. C., dan Rocha, M. F. G. (2011): Alkylphenol activity against *Candida* spp. and *Microsporum canis*: a focus on the antifungal activity of thymol, eugenol, and O-methyl derivatives, *Molecules*, **16**, 6422 – 6431.

- Fuchs, B., Belsky, Y., Tartakovsky, E., Zizuashvili, J., dan Weinman, S. (1982): Novel bromination reagents. Electrophilic aromatic bromination by hexabromocyclopentadiene, *Journal of the Chemical Society, Chemical Communications*, 778 – 779.
- Fujisaki, S., Eguchi, H., Omura, A., Okamoto, A., dan Nishida, A. (1993): Halogenation using *N*-halogenocompounds. I. Effects of amines on *ortho*-bromination of phenols with NBS, *Bulletin of the Chemical Society of Japan*, **66**, 1576 – 1579.
- Furukawa, H., Wieser, M., Morita, H., dan Nagasawa, T. (1999): Microbial synthesis of coniferyl alcohol by the fungus *Byssoschlamys fulva* V107, *Bioscience Biotechnology Biochemistry*, **63**, 1141 – 1142.
- Galloni, P., Mancini, M., Floris, B., dan Conte, V. (2013): A sustainable two-phase procedure for V-catalyzed toluene oxidative bromination with H₂O₂-KBr, *Dalton Transactions*, **42**, 11963 – 11970.
- Ganguly, N. C., De, P., dan Dutta, S. (2005): Mild regioselective monobromination of activated aromatics and heteroaromatics with *N*-bromosuccinimide in tetrabutylammonium bromide, *Synthesis*, **7**, 1103 – 1108.
- Garcia-Muñoz, S., Jiménez-González, L., Álvarez-Corral, M., Muñoz-Dorado, M., dan Rodríguez-García, I. (2005): Benzo[*f*][1,2]oxasilepines in the synthesis of dihydro[*b*]benzofuran neolignans, *Synlett*, **19**, 3011 – 3013.
- Gensler, W. J. dan Gatsonis, C. D. (1966): Synthesis of podophyllotoxin, *The Journal of Organic Chemistry*, **31**, 4004 – 4008.
- Georgiev, D., Saes, B. W. H., Johnston, H. J., Boys, S. K., Healy, A., dan Hulme, A. N. (2016): Selective and efficient generation of *ortho*-brominated *para*-substituted phenols in ACS-grade methanol, *Molecules*, **21**, 88.
- Ghasemnejad-Bosra, H., Ramzanian-Lehmali, F., dan Jafari, S. (2011): Simple and improved regioselective brominations of aromatic compounds using *N*-benzyl-*N,N*-dimethylanilinium peroxodisulfate in the presence of potassium bromide under mild reactions conditions, *Journal of the Serbian Chemical Society*, **76**, 685 – 692.
- Ghiaci, M. dan Asghari, J. (2001): Increasing the selectivity of bromination of aromatic compounds using Br₂/SiO₂, *Bulletin of The Chemical Society of Japan*, **74**, 1151 – 1152.
- Ghorpade, P. V., Pethsangave, D. A., Some, S., dan Shankarling, G. S. (2018): Graphene oxide promoted oxidative bromination of anilines and phenols in water, *The Journal of Organic Chemistry*, **83**, 7388 – 7397.
- Ghosh, N. (2004): DBU (1,8-diazabicyclo[5.4.0]undec-7-ene – a nucleophilic base, *Synlett*, **3**, 574 – 575.
- Gibson, S. E., Jones, J. O., McCague, R., Tozer, M. J., dan Whitcombe, N. J. (1999): A bromoarene based approach to phenylalanine analogues Hic and Nic, *Synlett*, 954 – 956.
- Giummarella, N., Gioia, C., dan Lawoko, M. (2018): A one-pot biomimetic synthesis of selectively functionalized lignins from monomers: a green functionalization platform, *Green Chemistry*, **20**, 2651 – 2662.

- Gnaim, J. M., Keehn, P. M., dan Green, B. S. (1992): Halogenated analogs of tri-*O*-thymotide (TOT) and tri-3-(2-butyl)-6-methylsalicylide (TSBS): synthesis and clathration studies, *Tetrahedron Letters*, **33**, 2883 – 2886.
- Goldberg, Y., Bensimon, C., dan Alper, H. (1992): Highly regioselective bromination of 2,3-dimethylanisole with *N*-bromosuccinimide, *The Journal of Organic Chemistry*, **57**, 6374 – 6376.
- González, A. G., Pérez, J. P., dan Trujillo, J. M. (1978): Synthesis of two arylnaphtalene lignans, *Tetrahedron*, **34**, 1011 – 1013.
- Greca, M. D., Ferrara, M., Fiorentino, A., Monaco, P., dan Previtera, L. (1998): Antialgal compounds from *Zantedeschia aethiopica*, *Phytochemistry*, **49**, 1299 – 1304.
- Gruter, G-J. M., Akkerman, O. S., dan Bickelhaupt, F. (1994): Nuclear versus side-chain bromination of methyl-substituted anisoles by *N*-bromosuccinimide, *The Journal of Organic Chemistry*, **59**, 4473 – 4481.
- Guzowski Jr., J. P., Delaney, E. J., Humora, M. J., Irdam, E., Kiesman, W. F., Kwok, A., dan Moran, A. D. (2012): Understanding and control of dimethyl sulfate in a manufacturing process: kinetic modeling of a Fischer esterification catalyzed by H₂SO₄, *Organic Process Research & Development*, **16**, 232 – 239.
- Hadimani, S. B., Tanpure, R. P., dan Bhat, S. V. (1996): Asymmetric total synthesis of (–)-podophyllotoxin, *Tetrahedron Letters*, **37**, 4791–4794.
- Hajipour, A. R., Mallakpour, S. E., Imanieh, H., dan Pourmousavi, S. A. (2002): A controlled and selective bromination of phenols by benzyltriphenylphosphonium tribromide, *Journal of Chemical Research, Synopses*, 272 – 275.
- Hajra, S., Garai, S., dan Hazra, S. (2017): Catalytic enantioselective synthesis of (–)-podophyllotoxin, *Organic Letters*, **19**, 6530 – 6533.
- Hamri, S., Aboulkas, A., El Ammari, I., Fadel, S., Hafid, A., El Haddad, M., Noureddine, K., Lazar, S., Pujol, M. D., dan Khouili, M. (2009): Synthesis of new derivatives of 4,5-dihydro-1*H*-pyrazole via 4-allyl-2-methoxyphenol, *Journal Marocain de Chimie Hétérocyclique*, **8**, 28 – 34.
- Harada, K., Arioka, C., Miyakita, A., Kubo, M., dan Fukuyama, Y. (2014): Efficient synthesis of neurotrophic honokiol using Suzuki-Miyaura reactions, *Tetrahedron Letters*, **55**, 6001 – 6003.
- Harmatha, J. dan Dinan, L. (2004): Biological activities of lignans and stilbenoids associated with plant-insect chemical interactions, *Phytochemistry Reviews*, **2**, 321 – 330.
- Hashimoto, T., Shiota, K., Funatsu, K., dan Yamaguchi, Y. (2021): Cross-coupling reactions of aryl halides with primary and secondary aliphatic alcohols catalyzed by an *O,N,N*-coordinated nickel complex, *Advanced Synthesis & Catalysis*, **363**, 1625 – 1630.
- He, Z-T. dan Hartwig, J. F. (2019): Palladium-catalyzed α -arylation for the addition of small rings to aromatic compounds, *Nature Communications*, **10**, 4083.

- Heravi, M. M., Abdolhosseini, N., dan Oskooie, H. A. (2005): Regioselective and high-yielding bromination of aromatic compounds using hexamethylene-tetramine-bromine, *Tetrahedron Letters*, **46**, 8959 – 8963.
- Hidalgo, M. E., de la Rosa, C., Carrasco, H., Cardona, W., Gallardo, C., dan Espinoza, L. (2009): Antioxidant capacity of eugenol derivatives, *Quimica Nova*, **32**, 1467 – 1470.
- Hosseinzadeh, R., Tajbakhsh, M., Mohadjerani, M., dan Lasemi, Z. (2010): Efficient and regioselective bromination of aromatic compounds with ethylenebis(*N*-methylimidazolium) ditribromide (EBMIDTB), *Synthetic Communications*, **40**, 868 – 876.
- Hou, M., Li, S., Xu, Z., dan Li, B. (2019): A reduction-responsive amphiphilic methotrexate-podophyllotoxin conjugate for targeted chemotherapy, *Chemistry An Asian Journal*, **14**, 3840 – 3844.
- Hsieh, M-F., Rao, P. D., dan Liao, C-C. (1999): Diels-Alder and Michael addition reactions of indoles with masked *o*-benzoquinones: synthesis of highly functionalized hydrocarbazoles and 3-arylindoles, *Chemical Communications*, 1441 – 1442.
- Hu, T., Chen, X., Wang, J., dan Huang, J. (2011): CuO nanoparticles on ionic polymer for coupling reactions of aryl bromides and chlorides with phenols, *ChemCatChem*, **3**, 661 – 665.
- Hu, T., Schulz, T., Torborg, C., Chen, X., Wang, J., Beller, M., dan Huang, J. (2009): Efficient palladium-catalyzed coupling reactions of aryl bromides and chlorides with phenols, *Chemical Communications*, 7330 – 7332.
- Huang, X., Fulton, B., White, K., dan Bugarin, A. (2015): Metal-free, regio- and stereoselective synthesis of linear (*E*)-allylic compounds using C, N, O, and S nucleophiles, *Organic Letters*, **17**, 2594 – 2597.
- Huang, X., Fulton, B., White, K., dan Bugarin, A. (2015): Metal-free, regio- and stereoselective synthesis of linear (*E*)-allylic compounds using C, N, O, and S nucleophiles, *Organic Letters*, **17**, 2594 – 2497.
- Huang, Z. dan Lumb, J-P. (2018): Phenol-directed C–H functionalization, *ACS Catalysis*, **9**, 521 – 555.
- Huang, Z., Askari, M. S., Esguerra, K. V. N., Dai, T-Y., Kwon, O., Ottenwaelder, X., dan Lumb, J-P. (2016): A bio-inspired synthesis of oxindoles by catalytic aerobic dual C–H functionalization of phenols, *Chemical Sciences*, **7**, 358 – 369.
- Huang, Z., Li, F., Chen, B., Lu, T., Yuan, Y., dan Yuan G. (2013): A sustainable process for catalytic oxidative bromination with molecular oxygen, *ChemSusChem*, **6**, 1337 – 1340.
- Huston, R. C. dan Ballard, M. M. (1943): *o*-Bromophenol, *Organic Syntheses, Collections*, **2**, 97 – 99.
- Ishibashi, H., Ito, K., Tabuchi, M., dan Ikeda, M. (1991): Synthetic studies on podophyllum lignans: tributyltin hydride-induced radical cyclization and intramolecular Heck reaction of α -benzylidene- β -(*o*-bromobenzyl)- γ -lactones, *Heterocycles*, **32**, 1279 – 1282.

- Jacquesy, J-C. dan Jouannetaud, M-P. (1982): Mechanism of isomerisation of *ortho* or *para* bromo phenols in superacids, *Tetrahedron Letters*, **23**, 1673 – 1676.
- Jacquesy, J-C., Jouannetaud, M-P., dan Makani, S. (1980): *meta*-Bromination of phenols in superacids, *Journal of the Chemical Society: Chemical Communications*, 110 – 111.
- Jiang, P-P. dan Yang, X-J. (2016): A quick, mild and efficient bromination using CFBSA/KBr system, *RSC Advances*, **6**, 90031 – 90034.
- John, A. dan Nicholas, K. M. (2012): Palladium catalyzed C–H functionalization of *O*-arylcarbamates: selective *ortho*-bromination using NBS, *The Journal of Organic Chemistry*, **77**, 5600 – 5605.
- Jones, D. W. dan Thompson, A. M. (1987): Synthesis of podophyllum lignans via an isolable *o*-quinonoid pyrone, *Journal of the Chemical Society, Chemical Communications*, 1797 – 1798.
- Kajigaeshi, S., Kakinami, T., Okamoto, T., Nakamura, H, dan Fujikawa, M. (1987b): Halogenation using quaternary ammonium polyhalides. IV. Selective bromination of phenols by use of tetraalkylammonium tribromides, *Bulletin of the Chemical Society of Japan*, **60**, 4187 – 4189.
- Kajigaeshi, S., Kakinami, T., Tokiyama, H., Hirakawa, T., dan Okamoto, T. (1987a): Bromination of phenols by use of benzyltrimethylammonium tribromide, *Chemistry Letters*, 627 – 630.
- Kalinin, A. V., Chauder, B. A., Rakhit, S., dan Snieckus, V. (2003): *seco*-C/D ring analogues of ergot alkaloids. Synthesis via intramolecular Heck and ring-closing metathesis reactions, *Organic Letters*, **5**, 3519 – 3521.
- Kamal, A., Hussaini, S. M. A., Rahim, A., dan Riyaz, S. (2015): Podophyllotoxin derivatives: a patent review (2012 – 2014), *Expert Opinion on Therapeutic Patents*, **25**, 1025 – 1034.
- Kashima, T., Tanoguchi, M., Arimoto, M., dan Yamaguchi, H. (1991): Studies on the constituents of the seeds of *Hernandia ovigera* L. VIII. Syntheses of ($\pm$)-desoxypodophyllotoxin and ($\pm$)- β -peltatin-A methyl ether. *Chemical and Pharmaceutical Bulletin*, **39**, 192 – 194.
- Kaufman, T. S. (2015): The multiple faces of eugenol. A versatile starting material and building block for organic and bio-organic synthesis and a convenient precursor toward bio-based fine chemicals, *Journal of the Brazilian Chemical Society*, **26**, 1055 – 1085.
- Kaufmann, St., Rosenkranz, G., dan López, J. (1946): Halogenated derivatives of methyleugenol. II. 6-Bromomethyleugenol glycol and 6-bromohomoveratraldehyde, *Journal of the American Chemical Society*, **68**, 2733 – 2734.
- Kaupp, M., Malkin, O. L., dan Malkin, V. G. (1998): Interpretation of ^{13}C NMR chemical shifts in halomethyl cations. On the importance of spin-orbit coupling and electron correlation, *Chemical Physics Letters*, **265**, 55 – 59.
- Kaushik, M. P. dan Polshettiwar, V. (2006): *N*-Octylquinolinium tribromide: a task specific quinoline based ionic liquid as a new brominating agent, *Indian Journal of Chemistry*, **45B**, 2542 – 2545.

- Kelly, S. M. dan Schad, H. (1985): The synthesis and some physical properties of new laterally substituted phenyl ethers containing a *trans*-1,4-disubstituted cyclohexane ring, *Helvetica Chimica Acta*, **68**, 813 – 817.
- Kende, A. S., King, M. L., dan Curran, D. P. (1981): Total synthesis of ($\pm$)-4'-demethyl-4-epipodophyllotoxin by insertion-cyclization, *The Journal of Organic Chemistry*, **46**, 2826 – 2828.
- Kennedy-Smith, J. J., Young, L. A., dan Toste, F. D. (2004): Rhenium-catalyzed aromatic propargylation, *Organic Letters*, **6**, 1325 – 1327.
- Kessat, A. dan Babadjamian, A. (1996): Synthesis of insoluble polymer-supported thiazoles and use of 2-methyl-4-poly(styrylmethyl)thiazolium hydro-tribromide as a new brominating agent, *European Polymer Journal*, **32**, 193 – 199.
- Khosravi, K. dan Kazemi, S. (2012): Green, mild and efficient bromination of aromatic compounds by HBr promoted by *trans*-3,5-dihydroperoxy-3,5-dimethyl-1,2-dioxolane in water as a solvent, *Chinese Chemical Letters*, **23**, 387 – 390.
- Kikushima, K., Moriuchi, T., dan Hirao, T. (2009): Vanadium-catalyzed oxidative bromination under atmospheric oxygen, *Chemistry Asian Journal*, **4**, 1213 – 1216.
- Kikushima, K., Moriuchi, T., dan Hirao, T. (2010): Oxidative bromination reaction using vanadium catalyst and aluminum halide under molecular oxygen, *Tetrahedron Letters*, **51**, 340 – 342.
- Kim, H., dan Ralph, J. (2005): Simplified preparation of coniferyl and sinapyl alcohols, *Journal of Agricultural and Food Chemistry*, **53**, 3693 – 3695.
- Klemm, L. H., Gopinath, K. W., Lee, D. H., Kelly, F. W., Trod, E., dan McGuire, T. M. (1966a): The intramolecular Diels-Alder reaction as a route to synthetic lignan lactones, *Tetrahedron*, **22**, 1797 – 1808.
- Klemm, L. H., Lee, D. H., Gopinath, K. W., dan Klopfenstein, C. E. (1966b): Intramolecular Diels-Alder reactions. III. Cyclizations of *trans*-cinnamyl and phenylpropargyl phenylpropiolates, *The Journal of Organic Chemistry*, **31**, 2376 – 2380.
- Kocsis, L. S. dan Brummond, K. M. (2014): Intramolecular dehydro Diels-Alder reaction affords selective entry to aryl naphthalene or aryl dihydro naphthalene lignans, *Organic Letters*, **16**, 4158 – 4161.
- Koeduka, T., Fridman, E., Gang, D. R., Vassão, D. G., Jackson, B. L., Kish, C. M., Orlova, I., Spassova, S. M., Lewis, N. G., Noel, J. P., Baiga, T. J., Dudareva, N., dan Pichersky, E. (2006): Eugenol and isoeugenol, characteristic aromatic constituents of spices, are biosynthesized via reduction of a coniferyl alcohol ester, *Proceedings of the National Academy of Sciences of the United States of America*, **103**, 10128 – 10133.
- Koelsch, C. F. (1939): The preparation of *m*-bromophenol, *Journal of the American Chemical Society*, **61**, 969.
- Kumar, A., Kumar, V., Alegria, A. E., dan Malhotra, S. V. (2011): Synthetic and application perspectives on azapodophyllotoxins: alternative scaffolds of podophyllotoxin, *Current Medicinal Chemistry*, **18**, 3853 – 3870.

- Kumar, M. A., Rohitha, C. N., Kulkarni, S. J., dan Narender, N. (2010): Bromination of aromatic compounds using ammonium bromide and Oxone[®], *Synthesis*, **10**, 1629 – 1632.
- Kumara, M., Shylajab, M. R., Nazeemc, P. A., dan Babu, T. (2017): 6-Gingerol is the most potent anticancerous compound in ginger (*Zingiber officinale* Rosc.), *Journal of Developing Drugs*, **6**, 167.
- Kwak, J-H., In, J-K., Lee, M-S., Choi, E-H., Lee, H., Hong, J. T., Yun, Y-P., Lee, S. J., Seo, S-Y., Suh, Y-G., dan Jung, J-K. (2008): Concise synthesis of obovatol: chemoselective *ortho*-bromination of phenol and survey of Cu-catalyzed diaryl ether couplings, *Archives of Pharmacal Research*, **31**, 1559 – 1563.
- Lazarević, J., Kolarević, A., Stojanović, G., Šmelcerović, A., Ciuffreda, P., dan Santaniello, E. (2018): Synthesis, antimicrobial activity and *in silico* studies on eugenol esters, *Acta Chimica Slovenica*, **65**, 801 – 810.
- Le, Z-G., Chen, Z-C., dan Hu, Y. (2005): (Bmim)Br₃ as a new reagent for regioselective monobromination of phenols and several activated aromatics under solvent-free conditions, *Chinese Journal of Chemistry*, **23**, 1537 – 1540.
- Lee, J. G., Cha, H. T., Yoon, U. C., Suh, Y. S., Kim, K. C., dan Park, I. S. (1991): Sodium halates-halotrimethylsilanes. New reagents for aromatic halogenation reactions, *Bulletin of the Korean Chemical Society*, **12**, 4 – 7.
- Lee, K. Y., GowriSankar, S., dan Kim, J. N., 2004, A practical and stereoselective synthesis of cinnamyl alcohols bearing α -cyano or α -ester functional group from Baylis-Hillman adducts, *Bulletin of the Korean Chemical Society*, **25**, 413 – 414.
- Lehmann, F. (2004): Cesium carbonate (Cs₂CO₃), *Synlett*, **13**, 2447 – 2448.
- Leitch, J. A. dan Frost, C. G. (2017): Ruthenium-catalyzed σ -activation for remote *meta*-selective C–H functionalization, *Chemical Society Reviews*, **46**, 7145 – 7153.
- Li, H-J., Wu, Y-C., Dai, J-H., Song, Y., Cheng, R., dan Qiao, Y. (2014): Regioselective electrophilic aromatic bromination: theoretical analysis and experimental verification, *Molecules*, **19**, 3401 – 3416.
- Lindeberg, O. (1980): Synthesis of coniferyl and dihydroconiferyl derivatives using radical bromination with *N*-bromosuccinimide as the key step, *Acta Chemica Scandinavica. Series B: Organic Chemistry and Biochemistry*, **34**, 15 – 20.
- Liu, S., Liu, J., Hou, J., Chao, N., Gai, Y., dan Jiang, X. (2017): Three steps in one pot: biosynthesis of 4-hydroxycinnamyl alcohols using immobilized whole cells of two genetically engineered *Escherichia coli* strains, *Microbial Cell Factories*, **16**, 1 – 12.
- Liu, Y-G., Luo, Y., dan Lu. Y. (2015): A concise synthesis of azoxystrobin using a Suzuki cross-coupling reaction, *Journal of Chemical Research*, **39**, 586 – 589.
- Liu, Y-Q., Tian, J., Qian, K., Zhao, X-B., Morris-Natschke, S. L., Yang, L., Nan, X., Tian, X., dan Lee, K-H. (2015): Recent progress on C4-modified

- podophyllotoxin analogs as potent antitumor agents, *Medicinal Research Reviews*, **35**, 1 – 62.
- Liu, Y-Q., Yang, L., dan Tian, X. (2007): Podophyllotoxin: current perspectives, *Current Bioactive Compounds*, **3**, 37 – 66.
- Lu, F. dan Ralph, J. (1998): Highly selective syntheses of coniferyl and sinapyl alcohols, *Journal of Agricultural and Food Chemistry*, **46**, 1794 – 1796.
- Lübbecke, H. dan Boldt, P. (1978): Quinones – VII. Halogenation and oxidative halogenation of phenols with hydrogen halides/hydrogen peroxide. Synthesis of *p*-chloranil and *p*-bromanil, *Tetrahedron*, **34**, 1577 – 1579.
- Lugemwa, F., N., Shaikh, K., dan Hochstedt, E. (2013): Facile and efficient acetylation of primary alcohols and phenols with acetic anhydride catalyzed by dried sodium bicarbonate, *Catalysts*, **3**, 954 – 965.
- Luo, J., Preciado, S., Larrosa, I. (2014): Overriding *ortho*-*para* selectivity via a traceless directing group relay strategy: the *meta*-selective arylation of phenols, *Journal of the American Chemical Society*, **136**, 4109 – 4112.
- Lv, Y., Cheng, X., Wu, D., Du, G., Zhou, J., dan Chen, J. (2018): Improving bioconversion of eugenol to coniferyl alcohol by *in situ* eliminating harmful H₂O₂, *Bioresources Technology*, **267**, 578 – 583.
- Ma, D. dan Cai, Q. (2008): Copper/amino acid catalyzed cross-couplings of aryl and vinyl halides with nucleophiles, *Accounts of Chemical Research*, **41**, 1450 – 1460.
- Ma, S. dan Negishi, E.-i. (1995): Palladium-catalyzed cyclization of ω -haloallenes. A new general route to common, medium, and large ring compounds via cyclic carbopalladation, *Journal of the American Chemical Society*, **117**, 6345 – 6357.
- Ma, X., Yu, J., Jiang, M., Wang, M., Tang, L., Wei, M., dan Zhou, Q. (2019): Mild and regioselective bromination of phenols with TMSBr, *European Journal of Organic Chemistry*, **2019**, 4593 – 4596.
- Mahboub, R. (2018): Mechanisms and characteristic properties for some reactions of eugenol, *Journal of Applied Chemistry & Environment Protection*, **V3**, 31 – 50.
- Mahboub, R. dan Memmou, F. (2015): Antioxidant activity and kinetics studies of eugenol and 6-bromoeugenol, *Natural Products Research*, **29**, 966 – 971.
- Mahmoodi, N. O., Yazdanbakhsh, M. R., dan Hassanzadeh, F. (2011): Chemo- and regioselective bromination of aromatic compounds in the presence of γ -picolinium bromochromate (γ -PBC)/CH₃CN, *Oriental Journal of Chemistry*, **27**, 429 – 434.
- Majetich, G., Hicks, R., dan Reister, S. (1997): Electrophilic aromatic bromination using bromodimethylsulfonium bromide generated *in situ*, *The Journal of Organic Chemistry*, **62**, 4321 – 4326.
- Majumdar, K. C. dan Chattopadhyay, B. (2008): Novel synthesis of nine-membered oxa-heterocycles by Pd(0)-catalyzed intramolecular Heck reaction via unusual 9-*endo-trig*-mode cyclization, *Synlett*, **7**, 979 – 982.
- Manitto, P., Monti, D., dan Gramatica, P. (1974): Biosynthesis of phenylpropanoid compounds. Part I. Biosynthesis of eugenol in *Ocimum*

- basilicum* L., *Journal of the Chemical Society, Perkin Transactions 1*, 1727 – 1731.
- Maraš, N., Polanc, S., dan Kočevár, M. (2010): Synthesis of aryl alkyl ethers by alkylation of phenols with quaternary ammonium salts, *Acta Chimica Slovenica*, **57**, 29 – 36.
- Marchese, A., Barbieri, R., Coppo, E., Orhan, I. E., Daglia, M., Nabavi, S. F., Izadi, M., Abdollahi, M., Nabavi, S. M., dan Ajami, M. (2017): Antimicrobial activity of eugenol and essential oils containing eugenol: a mechanistic viewpoint, *Critical Reviews in Microbiology*, **43**, 668 – 689.
- Martin, R. dan Buchwald, S. L. (2008): Palladium-catalyzed Suzuki-Miyaura cross-coupling reactions employing dialkylbiaryl phosphine ligands, *Accounts of Chemical Research*, **41**, 1461 – 1473.
- Martinez, L., Ros, G., dan Nieto, G. (2018): Hydroxytyrosol: health benefits and use as functional ingredient in meat, *Medicines*, **5**, 13.
- Mashraqui, S. H., Mudaliar, C. D., dan Hariharasubrahmanian, H. (1997): 4,4-Dibromo-3-methylpyrazol-5-one: new applications for selective monobromination of phenols and oxidation of sulfides to sulfoxides, *Tetrahedron Letters*, **38**, 4865 – 4868.
- Matos Beja, A., Paixão, J. A., Ramos Silva, M., Alte da Veiga, L., Rocha Gonsalves, A. M. d'A., dan Serra, A. C. (2000): 2-Bromo-5-hydroxybenzaldehyde, *Acta Crystallographica Section C*, **56**, 354 – 355.
- Matsjeh, S., Anwar, C., Sholikhah, E. N., dan Alimuddin, A. A. (2015): Synthesis 3,4-dimethoxybenzyl-2,4-dihydroxyphenyl ketone from eugenol, *International Journal of Chemical Engineering and Applications*, **6**, 1, 61 – 65.
- Maurya, R., Ahmad, A., Gupta, P., Chand, K., Kumar, M., Jayendra, Rawat, P., Rasheed, N., dan Palit, G. (2011): Synthesis of novel isoxazolines via 1,3-dipolar cycloaddition and evaluation of anti-stress activity, *Medicinal Chemistry Research*, **20**, 139 – 145.
- Menini, L. dan Gusevskaya, E. V. (2006a): Novel highly selective catalytic oxychlorination of phenols, *Chemical Communications*, 209 – 211.
- Menini, L. dan Gusevskaya, E. V. (2006b): Aerobic oxychlorination of phenols catalyzed by copper(II) chloride, *Applied Catalysis A: General*, **309**, 122 – 128.
- Menini, L., Parreira, L. A., dan Gusevskaya, E. V. (2007): A practical highly selective oxybromination of phenols with dioxygen, *Tetrahedron Letters*, **48**, 6401 – 6404.
- Mingoia, F., Vitale, M., Madec, D., Prestat, G., dan Poli, G. (2008): Pseudo-domino palladium-catalyzed allylic alkylation/Mizoroki-Heck coupling reaction: a key sequence toward (±)-podophyllotoxin, *Tetrahedron Letters*, **49**, 760 – 763.
- Mitchell, R. H., Chen, Y., dan Zhang, J. (1997): *N*-Bromosuccinimide-chloroform, a more convenient method to nuclear brominate reactive aromatic hydrocarbons, *Organic Preparations and Procedures International*, **29**, 715 – 719.

- Mitchell, R. H., Lai, Y-H., dan Williams, R. V. (1979): *N*-Bromosuccinimide-dimethylformamide: a mild, selective nuclear monobromination reagent for reactive aromatic compounds, *The Journal of Organic Chemistry*, **44**, 4733 – 4735.
- Moghaddam, F. M. dan Zargarani, D. (2009): Regioselective bromination of aromatic amines and phenols using *N*-benzyl-DABCO tribromide, *Synthetic Communications*, **39**, 4212 – 4220.
- Mokhtary, M. dan Lakouraj, M. M. (2011): Polyvinylpyrrolidone-bromine complex: mild and efficient polymeric reagent for bromination of activated aromatic compounds, *Chinese Chemical Letters*, **22**, 13 – 17.
- Muathen, H. A. (1992): 1,8-Diazabicyclo[5.4.0]undec-7-ene hydrobromide perbromide: a new mild stable brominating agent for aromatic compounds, *The Journal of Organic Chemistry*, **57**, 2740 – 2741.
- Mukhopadhyay, S., Ananthakrishnan, S., dan Chandalia, S. B. (1999): Oxidative bromination in a liquid-liquid two-phase system to synthesize organic intermediates: 2-bromophenol, 2,6-dibromophenol, and 2-bromo-4-methylphenol, *Organic Process Research & Development*, **3**, 451 – 454.
- Muller, T. dan Bräse, S. (2009): Formation of heterocycles, 248 – 249 dalam M. Oestreich, ed., *The Mizoroki-Heck Reaction*, 568 hal., John Wiley & Sons, Chicester-Inggris.
- Murphy, S. K., Bruch, A., dan Dong, V. M. (2014): Substrate-directed hydroacylation: rhodium-catalyzed coupling of vinylphenols and nonchelating aldehydes, *Angewandte Chemie International Edition*, **53**, 2455 – 2459.
- Namsa-aid, A. dan Ruchirawat, S. (2002): Efficient synthesis of ningalin C, *Organic Letters*, **4**, 2633 – 2635.
- Narender, N., Srinivasu, P., Prasad, M. R., Kulkarni, S. J., dan Raghavan, K. V. (2002): An efficient and regioselective oxybromination of aromatic compounds using potassium bromide and oxone®, *Synthetic Communications*, **32**, 2313 – 2318.
- Naresh, M., Kumar, M. A., Reddy, M. M., Swamy, P., Nanubolu, J. B., dan Narender, N. (2013): Fast and efficient bromination of aromatic compounds with ammonium bromide and Oxone, *Synthesis*, **45**, 1497 – 1504.
- Nath, J. dan Chaudhuri, M. K. (2008): Boric acid catalyzed bromination of a variety of organic substrates: an eco-friendly and practical protocol, *Green Chemistry Letters and Reviews*, **1**, 223 – 230.
- Navaratne, P. dan Grenning, A. J. (2017): Deconjugative alkylation/Heck reaction as a simple platform for dihydronaphthalene synthesis, *Organic & Biomolecular Chemistry*, **15**, 69 – 75.
- Neumann, R. dan Assael, I. (1988): Oxybromination catalyzed by the heteropolyanion compound $H_5PMo_{10}V_2O_{40}$ in an organic medium: selective *para*-bromination of phenol, *Journal of the Chemical Society: Chemical Communications*, 1285 – 1288.

- Nicholas, K. M. (1975): A protecting group for the carbon-carbon double bond, *Journal of the American Chemical Society*, **97**, 3254 – 3255.
- Niessen, W. M. A. dan Falck, D. (2015): Introduction to mass spectrometry, a tutorial dalam Kool, J. Niessen, W. M. A., ed. *Analyzing Biomolecular Interactions by Mass Spectrometry, 1st Edition*. Wiley, VCH-Verlag.
- Oberhauser, T. (1997): A new bromination method for phenols and anisoles: NBS/HBF₄·Et₂O in CH₃CN, *The Journal of Organic Chemistry*, **62**, 4504 – 4506.
- Ojo, O. S. dan Bugarin, A. (2021): One-pot synthesis of α -alkyl styrene derivatives, *ACS Omega*, **6**, 20619 – 20628.
- Okada, Y., Yokozawa, M., Akiba, M., Oishi, K., O-kawa, K., Akeboshi, T., Kawamura, Y., Inokuma, S., Nakamura, Y., dan Nishimura, J. (2003): Bromination by means of sodium monobromoisocyanurate (SMBI), *Organic & Biomolecular Chemistry*, **1**, 2506 – 2511.
- Olah, G. A., O'Hannesian, L., dan Arvanaghi, M. (1986): Synthetic methods and reactions; 127. Regioselective *para* halogenation of phenols, phenol ethers and anilines with halodimethylsulfonium halides, *Synthesis*, 868 – 870.
- Olea, A. F., Espinoza, L., Sedan, C., Thomas, M., Martinez, R., Mellado, M., Carrasco, H., dan Diaz, K. (2019): Synthesis and *in vitro* growth inhibition of 2-allylphenol derivatives against *Phytophthora cinnamomi* Rands, *Molecules*, **24**, 4196.
- Pandey, S. K., Tandon, S., Ahmad, A., Singh, A. K., dan Tripathi, A. K. (2013): Structure-activity relationships of monoterpenes and acetyl derivatives against *Aedes aegypti* (Diptera: Culicidae) larvae, *Pest Management Science*, **69**, 1235 – 1238.
- Panzella, L., DellaGreca, M., dan Longobardo, L. (2018): A facile preparation of hydroxycinnamyl alcohols with simultaneous protection of phenol groups as carbonate, *Chemistry Select*, **3**, 10637 – 10640.
- Park, J-E., Lee, J, Seo, S-Y., dan Shin, D. (2014): Regioselective route for arylnaphtalene lactones: convenient synthesis of taiwanin C, justicidin E, and daurinol, *Tetrahedron Letters*, **55**, 818 – 820.
- Pauli, A. dan Kubeczka, K-H. (2010): Antimicrobial properties of volatile phenylpropanes, *Natural Product Communications*, **5**, 1387 – 1394.
- Pavia, D. L., Lampman, G. M., Kriz, G. S., dan Vyvyan, J. R. (2015): *Introduction to spectroscopy 5th edition*, Cengage Learning, Stanford, 355 – 360.
- Pearson, D. E., Wysong, R. D., dan Breder, C. V. (1967): The *ortho* bromination of phenols, *The Journal of Organic Chemistry*, **32**, 2358 – 2360.
- Pelter, A., Ward, R. S., Jones, D. M., dan Maddocks, P. (1993): Asymmetric synthesis of dibenzylbutyrolactones and aryltetralin lignan lactones by tandem conjugate addition to a chiral butenolide, *Journal of the Chemical Society, Perkin Transactions I*, 2621 – 2629.
- Pilkington, L. I. dan Barker, D. (2015): Synthesis of 3-methylbovatol, *Synlett*, **26**, 2425 – 2428.

- Pingali, S. R. K., Madhav, M., dan Jursic, B. S. (2010): An efficient regioselective NBS aromatic bromination in the presence of an ionic liquid, *Tetrahedron Letters*, **51**, 1383 – 1385.
- Pirrung, M. C. (2007): *The Synthetic Organic Chemist's Companion*, John Wiley & Sons, New Jersey, 109.
- Qazi, P. H., Rashid, A., dan Shawi, S. A. (2011): *Podophyllum hexandrum* – A versatile medicinal plant, *International Journal of Pharmacy and Pharmaceutical Sciences*, **3**, 261 – 268.
- Quideau, S. dan Ralph, J. (1992): Facile large-scale synthesis of coniferyl, sinapyl, and *p*-coumaryl alcohol, *Journal of Agricultural and Food Chemistry*, **40**, 1108 – 1110.
- Raja, M. R. C., Srinivasan, V., Selvaraj, S., dan Mahapatra, S. K. (2015): Versatile and synergistic potential of eugenol: a review, *Pharmaceutica Analytica Acta*, **6**, 367.
- Rajapaksa, D. dan Rodrigo, R. (1981): A stereocontrolled synthesis of antineoplastic podophyllum lignans, *Journal of the American Chemical Society*, **103**, 6208 – 6209.
- Reddy, R. R., Gudup, S. S., dan Ghorai, P. (2016): Organocatalytic, enantioselective synthesis of cyclohexadienone containing hindered spirocyclic ethers through an oxidative dearomatization/oxa-Michael addition sequence, *Angewandte Chemie International Edition*, **55**, 15115 – 15119.
- Rodrigo, R. (1980): A stereo- and regiocontrolled synthesis of podophyllum lignans, *The Journal of Organic Chemistry*, **45**, 4538 – 4540.
- Rothen, L. dan Schlosser, M. (1991): A one-pot synthesis of coumaryl, coniferyl, and sinapyl alcohol, *Tetrahedron Letters*, **32**, 2475 – 2476.
- Rothenberg, G. dan Clark, J. H. (2000): Vanadium-catalysed oxidative bromination using dilute mineral acids and hydrogen peroxide: an option for recycling waste acid streams, *Organic Process Research & Development*, **4**, 270 – 274.
- Roughley, S. D. dan Jordan, A. M. (2011): The medicinal chemist's toolbox: an analysis of reactions used in the pursuit of drug candidates, *Journal of Medicinal Chemistry*, **54**, 3451 – 3479.
- Saavedra, D. I., Rencher, B. D., Kwon, D-H., Smith, S. J., Ess, D. H., dan Andrus, M. B. (2018): Synthesis and computational studies demonstrate the utility of an intramolecular styryl Diels-Alder reaction and di-*t*-butylhydroxy-toluene assisted [1,3]-shift to construct anticancer *dl*-deoxypodophyllo-toxin, *The Journal of Organic Chemistry*, **83**, 2018 – 2026.
- Sadeghian, H., Seyedi, S. M., Saberi, M. R., Arghiani, Z., dan Riazi, M. (2008): Design and synthesis of eugenol derivatives, as potent 15-lipoxygenase inhibitors, *Bioorganic & Medicinal Chemistry*, **16**, 890 – 901.
- Saikia, I., Borah, A. J., dan Phukan, P. (2016): Use of bromine and bromo-organic compounds in organic synthesis, *Chemical Reviews*, **116**, 6837 – 7042.

- Salazar, J. dan Dorta, R. (2004): Pentyipyridinium tribromide: a vapor pressure free room temperature ionic liquid analogue of bromine, *Synlett*, **7**, 1318 – 1320.
- Sarma, J. A. R. P. dan Nagaraju, A. (2000): Solid state nuclear bromination with *N*-bromosuccinimide. Part 1. Experimental and theoretical studies on some substituted aniline, phenol and nitro aromatic compounds, *Journal of The Chemical Society, Perkin Transactions 2*, 1113 – 1118.
- Satkar, Y., Ramadoss, V., Nahide, P. D., Garcia-Medina, E., Juárez-Ornelas, K. A., Alonso-Castro, A. J., Chávez-Rivera, R., Jiménez-Halla, J. O. C., dan Solorio-Alvarado, C. R. (2018): Practical, mild and efficient electrophilic bromination of phenols by a new I(III)-based reagent: the PIDA-AlBr₃ system, *RSC Advances*, **8**, 17806 – 17812.
- Schmidt, B. dan Riemer, M. (2014): Suzuki-Miyaura coupling of halophenols and phenyl boronic acids: Systematic investigation of positional isomer effects and conclusions for the synthesis of phytoalexins from Pyrinae, *The Journal of Organic Chemistry*, **79**, 4104 – 4118.
- Schmitz, E. dan Pagenkopf, I. (1985): *ortho*-Spezifische bromierung von phenolen, *Journal für Praktische Chemie*, **327**, 998 – 1006.
- Sear, C.E., Pieper, P., Amaral, M., Romanelli, M. M., Costa-Silva, T. A., Haugland, M. M, Tate, J. A., Lago, J. H. G., Tempone, A. G., dan Anderson, E. A. (2020): Synthesis and structure-activity relationship of dehydrodieugenol B neolignans against *Trypanosoma cruzi*, *ACS Infectious Disease*, **6**, 2872 – 2878.
- Sellars, J. D. dan Steel, P. G. (2007): Advances in the synthesis of aryltetralin lignan lactones, *European Journal of Organic Chemistry*, **23**, 3815 – 3828.
- Sengupta, G., Pandey, P., De, S., Ramapanicker, R., dan Bera, J. K. (2018): A bromo-capped diruthenium(I,I) *N*-heterocyclic carbene compound for *in situ* bromine generation with NBS: catalytic olefin aziridination reactions, *Dalton Transactions*, **47**, 11917 – 11924.
- Shah, Z., Gohar, U. F., Jamshed, I., Mushtaq, A., Mukhtar, H., Zia-Ul-Haq, M., Toma, S. I., Manea, R., Moga, M., dan Popovici, B. (2021): Podophyllotoxin: history, recent advances and future prospects, *Biomolecules*, **11**, 603.
- Silverstein, R. M., Webster, F. X., dan Kiemle, D. J. (2005): *Spectrometric identification of organic compounds 7th edition*, John Wiley & Sons, New Jersey, 198
- Singh, P. P., Thatikonda, T., Kumar, K. A. A., Sawant, S. D., Singh, B., Sharma, A. K., Sharma, P. R., Singh, D., dan Vishwakarma, R. A. (2012): Cu-Mn spinel oxide catalyzed regioselective halogenation of phenols and *N*-heteroarenes, *The Journal of Organic Chemistry*, **77**, 5823 – 5828.
- Smith, K., James, D. M., Matthews, I., dan Bye, M. R. (1992): Selective *para*-bromination of phenols *via* a regenerable polymer-bound tetraalkylammonium tribromide, *Journal of the Chemical Society Perkin Transactions I*, 1877 – 1878.

- Sohilait, H. J. dan Kainama, H. (2019): Free radical scavenging activity of essential oil of *Eugenia caryophyllata* from Amboina Island and derivatives of eugenol, *Open Chemistry*, **17**, 422 – 428.
- Solomons, T. W. G., Fryhle, C. B., dan Snyder, S. A. (2016): *Organic chemistry, 12th edition*, John Wiley & Sons, New Jersey, 364 – 366, 451 – 453, 662 – 664.
- Srivastava, S. K., Chauhan, P. M. S., dan Bhaduri A. P. (1996): Novel site-specific one-step bromination of substituted benzenes, *Chemical Communications*, 2679 – 2680.
- Stadler, D. dan Bach T. (2008): Concise stereoselective synthesis of (–)-podophyllotoxin by an intermolecular iron(III)-catalyzed Friedel-Crafts alkylation, *Angewandte Chemie International Edition*, **47**, 7557 – 7559.
- Stropanik, T., Bombek, S., Kočevár, M., dan Polanc, S. (2008): Regioselective bromination of activated aromatic substrates with a ZrBr₄/diazene mixture, *Tetrahedron Letters*, **49**, 1729 – 1733.
- Sun, B-F., Hong, R., Kang, Y-B., dan Deng, L. (2009): Asymmetric total synthesis of (–)-plicatic acid via a highly enantioselective and diastereoselective nucleophilic epoxidation of acyclic trisubstituted olefins, *Journal of the American Chemical Society*, **131**, 10384 – 10385.
- Sun, J-S., Liu, H., Guo, X-H., dan Liao, J-X. (2016): The chemical synthesis of aryltetralin glycosides, *Organic & Biomolecular Chemistry*, **14**, 1188 – 1200.
- Sun, L. dan Zhu, K. (2013): Synthesis of methyleugenol with dimethyl carbonate as methylating agent [abstrak], *Chemistry and Industry of Forest Products*, **33**, 139 – 143.
- Suresh, P., Annalakshmi, S., dan Pitchumani, K. (2007): Regioselective monobromination of substituted phenols in the presence of β -cyclodextrin, *Tetrahedron*, **63**, 4959 – 4967.
- Syrjänen, K. dan Brunow, G. (2001): Regioselectivity in oxidative cross-coupling of phenols. Application to the synthesis of dimeric neolignans, *Tetrahedron*, **57**, 365-370.
- Tajik, H., Mohammadpoor-Baltork, I., dan Albadi, J. (2007): Bromination of some aromatic compounds with potassium bromide in the presence of benzyltriphenylphosphonium peroxodisulfate, *Synthetic Communications*, **37**, 323 – 328.
- Takahashi, M., Suzuki, N., dan Ishikawa, T. (2013): Enantioselective formal synthesis of (–)-podophyllotoxin from (2*S*,3*R*)-3-arylaziridine-2-carboxylate, *The Journal of Organic Chemistry*, **78**, 3250–3261.
- Takano, S., Otaki, S., dan Ogasawara, K. (1985): Stereocontrolled synthesis of (±)-deoxypodophyllotoxin via the benzyl equivalent of the Peterson reaction, *Journal of the Chemical Society, Chemical Communications*, 485 – 487.
- Tang, R-J., Milcent, T., dan Crousse, B. (2018): Regioselective halogenation of arenes and heterocycles in hexafluoroisopropanol, *The Journal of Organic Chemistry*, **83**, 930 – 938.

- Taveira, F. N., Oliveira, A. B., Souza Filho, J. D., dan Braga, F. C. (2005): Epimers of labdane diterpenes from the rhizomes of *Hedychium coronarium* J. Koenig, *Brazilian Journal of Pharmacognosy*, **15**, 55 – 59.
- Taylor, J. E., Bull, S. D., dan Williams, J. M. J. (2012): Amidines, isothioureas, and guanidines as nucleophilic catalysts, *Chemical Society Reviews*, **41**, 2109 – 2121.
- Teskey, C. J., Lui, A. Y. W., dan Greaney, M. F. (2015): Ruthenium-catalyzed *meta*-selective C–H bromination, *Angewandte Chemie International Edition*, **54**, 11677 – 11680.
- Thota, N., Reddy, M. V., Kumar, A., Khan, I. A., Sangwan, P. L., Kalia, N. P., Koul, J. L., Koul, S. (2010): Substituted dihydronaphthalenes as efflux pump inhibitors of *Staphylococcus aureus*, *European Journal of Medicinal Chemistry*, **45**, 9, 3607-3616.
- Tietze, L. F., Duefert, S.-C., Clerc, J., Bischoff, M., Maaß, C., dan Stalke, D. (2013): Total synthesis of linoxepin through a palladium-catalyzed domino reaction, *Angewandte Chemie*, **125**, 3273 – 3276.
- Torii, S., Tanaka, H., Siroi, T., dan Akada, M. (1979): Regiospecific electro-acetoxylation of 4-methylphenyl acetate to form 4-acetoxybenzyl acetate. A significant procedure for vanillin synthesis involving novel etherification methods of aryl bromides, *The Journal of Organic Chemistry*, **44**, 3305 – 3310.
- Underwood, Jr., H. W., Baril, O. L., dan Toone, G. C. (1930): Preparation of solid derivatives for the identification of ethers, *Journal of the American Chemical Society*, **52**, 4087 – 4092.
- van Otterlo, W. A. L., Michael, J. P., Fernandes, M. A., de Koning, C. B. (2004): Unforeseen formation of 2-bromo-3-hydroxybenzaldehyde by bromination of 3-hydroxybenzaldehyde, *Tetrahedron Letters*, **45**, 5091 – 5094.
- van Speybroeck, R., Guo, J., van der Eycken, J., dan Vandewalle, M. (1991): Enantioselective total synthesis of (–)-epipodophyllotoxin and (–)-podophyllotoxin, *Tetrahedron*, **47**, 4675 – 4682.
- Vanholme, R., Morreel, K., Darrah, C., Oyance, P., Grabber, J. H., Ralph, J., dan Boerjan, W. (2012): Metabolic engineering of novel lignin in biomass crops, *New Phytologist*, **196**, 978 – 1000.
- Vargas-Méndez, L. Y., Sanabria-Flórez, P. L., Saavedra-Reyes, L. M., Merchán-Arenas, D. R., dan Kouznetsov, V. V. (2018): Bioactivity of semisynthetic eugenol derivatives against *Spodoptera frugiperda* (Lepidoptera: Noctuidae) larvae infesting maize in Colombia, *Saudi Journal of Biological Sciences*, **26**, 1613 – 1620.
- Venkateswarlu, K., Suneel, K., Das, B., Reddy, K. N., dan Reddy, T. S. (2009): Simple catalyst-free regio- and chemoselective monobromination of aromatics using NBS in polyethylene glycol, *Synthetic Communications*, **39**, 215 – 219.
- Vicha, J., Straka, M., Munzarová, M. L., dan Marek, R. (2014): Mechanism of spin-orbit effects on the ligand NMR chemical shift in transition-metal complexes: linking NMR to EPR, *Journal of Chemical Theory and Computation*, **10**, 1489 – 1499.

- Vijendra Kumar, N., Srinivas, P., dan Bettadaiah, B. K. (2012): New scalable and eco-friendly synthesis of gingerols, *Tetrahedron Letters*, **53**, 2993 – 2995.
- Vyas, P. V., Bhatt, A. K., Ramachandraiah, G., dan Bedekar, A. V. (2003): Environmentally benign chlorination and bromination of aromatic amines, hydrocarbons and naphthols, *Tetrahedron Letters*, **44**, 4085 – 4088.
- Wang, J., Wang, W., dan Li, J.-H. (2010): An efficient copper-catalysed aerobic oxybromination of arenes in water, *Green Chemistry*, **12**, 2124 – 2126.
- Wang, X., Li, X., Xue, J., Zhao, Y., dan Zhang, Y. (2009): A novel and efficient procedure for the preparation of allylic alcohols from α,β -unsaturated carboxylic esters using $\text{LiAlH}_4/\text{BnCl}$, *Tetrahedron Letters*, **50**, 413 – 415.
- Wang, X.-C., Gong, W., Fang, L.-Z., Zhu, R.-Y., Li, S., Engle, K. M., dan Yu, J.-Q. (2015): Ligand-enabled *meta*-C–H activation using a transient mediator, *Nature*, **519**, 334 – 338.
- Ward, R. S. (1992): Synthesis of podophyllotoxin and related compounds, *Synthesis*, 719 – 730.
- Watanabe, H. (1959): The chemical structure of the intermediate metabolite of catechin. IV Structure of the intermediate metabolite (F), *Bulletin of the Agricultural Chemical Society of Japan*, **23**, 268 – 271.
- Watanabe, M., Kawanishi, K., Akiyoshi, R., dan Furukawa, S. (1991): A regioselective lithiation of ortho-cresols using the bis(dimethylamino) phosphoryl group as a directing group: general synthesis of 2,3-dihydrobenzo[b]furans including naturally occurring neolignans, *Chemical and Pharmaceutical Bulletin*, **39**, 3123 – 3131.
- Weinstabl, H., Suhartono, M., Qureshi, Z., dan Lautens, M. (2013): Total synthesis of (+)-linoxepin by utilizing the Catellani reaction, *Angewandte Chemie International Editions*, **52**, 5305 – 5308.
- Weller, D. D. dan Stirchak, E. P. (1983): Quassinoid synthesis via *o*-quinone Diels-Alder reactions, *The Journal of Organic Chemistry*, **48**, 4873 – 4879.
- Wischang, D. dan Hartung, J. (2012): Bromination of phenols in bromoperoxidase-catalyzed oxidations, *Tetrahedron*, **68**, 9456 – 9463.
- Wu, Y., Zhang, H., Zhao, Y., Zhao, J., Chen, J., dan Li, L. (2007): A new and efficient strategy for the synthesis of podophyllotoxin and its analogues, *Organic Letters*, **9**, 1199 – 1202.
- Wu, Y., Zhao, J., Chen, J., Pan, C., Li, L., dan Zhang, H. (2009): Enantioselective sequential conjugate addition-allylation reactions: a concise total synthesis of (+)-podophyllotoxin, *Organic Letters*, **11**, 597 – 600.
- Wuts, P. G. M. (2014): *Greene's protective groups in organic synthesis 5th edition*, John Wiley & Sons, New Jersey, 475, 528.
- Xiao, J., Gao, M., Sun, Z., Diao, Q., Wang, P., dan Gao, F. (2020): Recent advances of podophyllotoxin/epipodophyllotoxin hybrids in anticancer activity, mode of action, and structure-activity relationship: an update (2010–2020), *European Journal of Medicinal Chemistry*, **208**, 112830.

- Xu, S., Held, I., Kempf, B., Mayr, H., Steglich, W., dan Zipse, H. (2005): The DMAP-catalyzed acetylation of alcohols – A mechanistic study, *Chemistry – A European Journal*, **11**, 4751 – 4757.
- Ye, Y., Wang, H., dan Fan, R. (2011): *meta*-Selective substitution of phenols with indoles via one-pot oxidative dearomatization-Michael addition-aromatization, *Synlett*, 923 – 926.
- Yousefzadi, M., Sharifi, M., Behmanesh, M., Moyano, E., Bonfill, M., Cusido, R. M., dan Palazon, J. (2010): Podophyllotoxin: current approaches to its biotechnological production and future challenges, *Engineering in Life Sciences*, **10**, 281 – 292.
- Yu, Q., Hu, L., Wang, Y., Zheng, S., dan Huang, J. (2015): Directed *meta*-selective bromination of arenes with ruthenium catalysts, *Angewandte Chemie International Edition*, **54**, 15284 – 15288.
- Yu, X., Che, Z., dan Xu, H. (2017): Recent advances in the chemistry and biology of podophyllotoxins, *Chemistry A European Journal*, **23**, 4467 – 4526.
- Yu, Y., Hu, T., Chen, X., Xu, K., Zhang, J., dan Huang, J. (2011): Pd nanoparticles on a porous ionic copolymer: a highly active and recyclable catalyst for Suzuki-Miyaura reaction under air in water, *Chemical Communications*, **47**, 3592 – 3594.
- Zajc, B. dan Zupan, M. (1989): Bromination of aromatic molecules with polymer supported reagents, *Tetrahedron*, **45**, 7869 – 7878.
- Zapf, A dan Beller, M. (2005): The development of efficient catalysts for palladium-catalyzed coupling reactions of aryl halides, *Chemical Communications*, 431 – 440.
- Zemba, J. W. (1966): Preparation of *o*-bromophenols, US Patent 3.293.309.
- Zhang, R., Huang, L., Zhang, Y., Chen, X., Xing, W., dan Huang, J. (2012): Silver catalyzed bromination of aromatics with *N*-bromosuccinimide, *Catalytic Letters*, **142**, 378 – 383.
- Zhang, X., Rakesh, K. P., Shantharam, C. S., Manukumar, H. M., Asiri, A. M., Marwani, H. M., dan Qin H-L. (2018): Podophyllotoxin derivatives as an excellent anticancer aspirant for future chemotherapy: a key current imminent needs, *Bioorganic & Medicinal Chemistry*, **26**, 340 – 355.
- Zhao, W., Cong, Y., Li, H-M., Li, S., Shen, Y., Qi, Q., Zhang, Y., Li, Y-Z., dan Tang, Y-J. (2021), Challenges and potential for improving the druggability of podophyllotoxin-derived drugs in cancer chemotherapy, *Natural Product Reports*, **38**, 470 – 488.
- Ziegler, F. E. dan Schwartz, J. A. (1978): Synthetic studies on lignan lactones: aryl dithiane route to (±)-podorhizol and (±)-isopodophyllotoxone and approaches to the stegane skeleton, *The Journal of Organic Chemistry*, **43**, 985 – 991.