

REFERENCES

1. Kassem, S. *et al.* (2017): Artificial molecular motors. *Chem. Soc. Rev.* **46**, 2592–2621.
2. Bissel, R. A., Córdova, E., Kaifer, A. E. & Stoddart, J. F. A. (1994): Chemically and Electrochemically Switchable Molecular Shuttle. *Nature* **369**, 133–137.
3. Chatterjee, M. N., Kay, E. R. & Leigh, D. A. (2006): Beyond Switches : Ratcheting a Particle Energetically Uphill with a Compartmentalized Molecular Machine. *J. Am. Chem. Soc.* **128**, 4058–4073.
4. Zhang, Z. *et al.* (2022): Mechanically Interlocked Networks Cross-linked by A Molecular Necklace. *Nat. Commun.* **13**, 1–9.
5. Simpson, C. D. *et al.* (2004): Nanosized Molecular Propellers by Cyclodehydrogenation of Polyphenylene Dendrimers. *J. Am. Chem. Soc.* **126**, 3139–3147.
6. Wang, B. & Král, P. (2007): Chemically Tunable Nanoscale Propellers of Liquids. *Phys. Rev. Lett.* **98**, 1–4.
7. Sygula, A., Fronczek, F. R., Sygula, R., Rabideau, P. W. & Olmstead, M. M. (2007): A Double Concave Hydrocarbon Buckycatcher. *J. Am. Chem. Soc.* **129**, 3842–3843.
8. Wang, J. *et al.* (2020): Reversible Photo-responsive Gel–sol Transitions of Robust Organogels Based on An Azobenzene–containing Main–chain Liquid Crystalline Polymer. *RSC Adv.* **10**, 3726–3733.
9. Masaki, H. *et al.* (2019): Ultrafast Isomerization-induced Cooperative Motions to Higher Molecular Orientation in Smectic Liquid–crystalline Azobenzene Molecules. *Nat. Commun.* **10**, 4159–4166.
10. Garcia–Amorós, J. *et al.* (2014): A Photoswitchable bis-azo Derivative With A High Temporal Resolution. *Chem. Commun.* **50**, 11462–11464.
11. de Silva, A. P., Gunaratne, N. H. Q. & McCoy, C. P. (1993): A Molecular Photoionic and Gate Based on Fluorescent Signalling. *Nature* **364**, 42–44.
12. Kudernac, T. *et al.* (2011): Electrically driven directional motion of a four–wheeled molecule on a metal surface. *Nature* **479**, 208–2011.
13. Baroncini, M., Silvi, S. & Credi, A. (2019): Photo– and Redox–Driven Artificial Molecular Motors. *Chem. Rev.* **120**, 200–268.
14. García–López, V., Liu, D. & Tour, J. M. (2019): Light–Activated Organic Molecular Motors and Their Applications. *Chem. Rev.* **120**, 79–124.
15. Kelly, T. R., De Silva, H. & Silva, R. A. (1999): Unidirectional Rotary Motion in A Molecular System. *Nature* **401**, 150–152.
16. Dattler, D. *et al.* (2019): Design of Collective Motions from Synthetic Molecular Switches , Rotors , and Motors. *Chem. Rev.* **120**, 310–433.
17. Guentner, M. *et al.* (2015): Sunlight–powered kHz Rotation of a Hemithioindigo-based Molecular Motor. *Nat. Commun.* **6**, 8406–8413.
18. Greb, L. & Lehn, J. M. (2014): Light–Driven Molecular Motors: Imines as Four–Step or Two–Step Unidirectional Rotors. *J. Am. Chem. Soc.* **136**, 13114–13117.
19. Feringa, B. L., Koumura, N., Zijlstra, R. W. J., van Delden, R. A. & Harada, N. (1999): Light–driven monodirectional molecular rotor. *Nature* **401**, 152–

- 155.
20. Neubauer, T. M. *et al.* (2014): Asymmetric synthesis of first generation molecular motors. *Org. Lett.* **16**, 4220–4223.
21. Kistemaker, J. C. M. *et al.* (2017): Third-Generation Light-Driven Symmetric Molecular Motors. *J. Am. Chem. Soc.* **139**, 9650–9661.
22. Bléger, D. & Hecht, S. (2015): Angewandte Minireviews Visible-Light-Activated Molecular Switches. *Angew. Chem., Int. Ed.* **54**, 11338–11349.
23. Irie, M., Fukaminato, T., Matsuda, K. & Kobatake, S. (2014): Photochromism of Diarylethene Molecules and Crystals: Memories, Switches, and Actuators. *Chem. Rev.* **114**, 12174–12277.
24. Harris, J. D., Moran, M. J. & Aprahamian, I. (2018): New Molecular Switch Architectures. *Proc. Natl. Acad. Sci. U. S. A.* **115**, 9414–9422.
25. Crespi, S. & Simeth, N. A. (2019): Heteroaryl Azo Dyes as Molecular Photoswitches. *Nat. Revies Chem.* **3**, 133–146.
26. Hoorens, M. W. H. *et al.* (2019): Iminothioindoxyl as a Molecular Photoswitch with 100 nm Band Separation In The Visible Range. *Nat. Commun.* **10**, 2390–2400.
27. Zhang, J. L. *et al.* Towards Single Molecule Switches. *Chem. Soc. Rev.* **44**, 2998–3022 (2015).
28. Busch, C. *et al.* (2015): Epigenetic activities of flavonoids in the prevention and treatment of cancer. *Clin. Epigenetics.* **7**, 64–71.
29. Fowler, Z. L. & Koffas, M. A. G. (2009): Biosynthesis and biotechnological production of flavanones: current state and perspectives. *Appl Microbiol Biotechnol.* **83**, 799–808.
30. Middleton, E. (1984): The flavonoids. *Trends Pharmacological Sci.* **5**, 335–338.
31. Singh, R., Wu, B., Tang, L., Liu, Z. & Hu, M. (2010): Identification of the Position of Mono-O-glucuronide of Flavones and Flavonols by Analyzing Shift in Online UV Spectrum Generated from an Online Diode Array Detector. *J. Agric. Chem.* **58**, 9384–9395.
32. Sykuła, A., Kowalska-Baron, A., Gałęcki, K., Błazińska, P. & Łodyga-Chruścińska, E. (2021): Structural and spectral investigation of a series of flavanone derivatives. *Molecules* **26**.
33. Lambert, N., Trouslot, M.-F., Nef-Campa, C. & Chrestin, H. (1993): Production of Rotenoids by Heterotrophic and Photomixotrophic Cell Cultures of *Tephrosia vogelii*. *Phytochemistry* **34**, 1515–1520.
34. Bucagu, C., Vanlauwe, B. & Giller, K. E. (2013): Managing *Tephrosia mulch* and fertilizer to enhance coffee productivity on smallholder farms in the Eastern African Highlands. *Eur. J. Agron.* **48**, 19–29.
35. Gaskins, M. H., White, G. A. & Martin, F. W. (1972): *Tephrosia vogelii*: A Source of Rotenoids for Insecticidal and Piscicidal Use. *Am. Dep. Agric. Tech. Bull.* 1445.
36. Bally, P. R. O. (1937): Native Medicinal and Poisonous Plants of East Africa Source : Bulletin of Miscellaneous Information (Royal Botanic Gardens, Kew), Vol. 1937, No. Published by : Springer on behalf of Royal Botanic Gardens, Kew Stable URL : <http://www.jstor.org/stabl>. *Bull. Misc. Inf. (Royal Bot. Gard. Kew)*, 10–26.
37. Dzenda, T., Ayo, J. O., Adelaiye, A. B. & Adaudi, A. O. (2007):

- Ethnomedical and Veterinary Uses of *Tephrosia vogelii* Hook F (Fabaceae): A Review. *Niger. Vet. J.* **28**, 34–39.
38. Mlozi, S. H., Mmongoyo, J. A. & Chacha, M. (2020): Antimicrobial activities of *Tephrosia vogelii* against selected pathogenic fungi and bacteria strains. *Mycology* **11**, 49–55.
 39. Andrei, C. C. *et al.* (2000): C–prenylflavonoids from roots of *Tephrosia tunicata*. *Phytochemistry* **55**, 799–804.
 40. Gómez-Garibay, F. *et al.* (1992): Flavonoids from *Tephrosia major*. A New Prenyl– β –hydroxychalcone. *Naturforsch* **31**, 2027–2029.
 41. Tarus, P. K., Machocho, A. K., Lang’at–Thoruwa, C. C. & Chhabra, S. C. (2002): Flavonoids from *Tephrosia aequilata*. *Phytochemistry* **60**, 375–379.
 42. Chang, L. C. *et al.* (2000): Absolute configuration of novel bioactive flavonoids from *Tephrosia purpurea*. *Org. Lett.* **2**, 515–518.
 43. Jang, D. S. *et al.* (2003): Potential cancer chemopreventive flavonoids from the stems of *Tephrosia toxicaria*. *J. Nat. Prod.* **66**, 1166–1170.
 44. Prabhakar, P., Vanangamudi, A., Gandhidasan, R. & Raman, P. V. (1996): Hookerianin: A flavone from *Tephrosia hookeriana*. *Phytochemistry* **43**, 315–316.
 45. Krupadanam, G. L. D., & Prashant, A. (1993): Dehydro–6–hydroxyrotenoid and lupenone. *Phytochemistry* **32**, 484–486.
 46. Lapointe, S. L., McKenzie, C. L. & Hunter, W. B. (2003): Toxicity and Repellency of *Tephrosia candida* to Larval and Adult Diaprepes Root Weevil (Coleoptera: Curculionidae). *J. Econ. Entomol.* **96**, 811–816.
 47. Kerebba, N., Oyedeji, A. O., Byamukama, R., Kuria, S. K. & Oyedeji, O. O. (2019): Pesticidal activity of *Tithonia diversifolia* (Hemsl.) A. Gray and *Tephrosia vogelii* (Hook f.); phytochemical isolation and characterization: A review. *South African J. Bot.* **121**, 366–376.
 48. Stevenson, P. C. *et al.* (2012): Phytochemistry Distinct chemotypes of *Tephrosia vogelii* and implications for their use in pest control and soil enrichment. *Phytochemistry* **78**, 135–146.
 49. Belmain, S. R., Amoah, B. A., Nyirenda, S. P., Kamanula, J. F. & Stevenson, P. C. (2012): Highly Variable Insect Control Efficacy of *Tephrosia vogelii* Chemotypes. *J. Agric. Food Chem.* **60**, 10055–10063.
 50. Marston, A., Msonthi, J. D. & Hostettmann, K. (1984): On The Reported Molluscicidal Activity from *Tephrosia vogelii* Leaves. *Phytochemistry* **23**, 1824–1825.
 51. Sambamurthy, K., Rangaswami, S. & Veeraswamy, P. (1962): Isolation and Constitution of A New Anthoxanthin Glycoside, Vogeloside, from The Seeds of *Tephrosia vogelii* Hook. *Planta Med.* **10**, 173–178.
 52. Lambert, N., Trouslot, M. F., Nef–Campa, C. & Chrestin, H. (1993): Production of Rotenoids by Heterotrophic Photomixotrophic Cell Cultures of *Tephrosia*. *Phytochemistry* **34**, 1515–1520.
 53. Wei, H., Xu, H., Xie, H., Xu, L. & Wei, X. (2009): Sesquiterpenes and Lignans from *Tephrosia vogelii*. *Helv. Chim. Acta* **92**, 370–374.
 54. Teryila, A. (2015): Phytochemical analysis of *Tephrosia vogelii* (fish poison bean). *J. Aquat. Sci.* **30**, 35–41.
 55. Kusumaningtyas, V. A., Hardianti, N. S., Melina, M., Juliawaty, L. D. & Syah, Y. M. (2020): A Cytotoxic Flavanone from The Pod Peels of *Tephrosia*

- vogelii Hook.f. *J. Kim. Val.* **6**, 140–145.
56. Yulvia, A. Isolation of Phenolic Compound from *Tephrosia vogelii* and Their Transformation with Selectfluor, Master's Thesis. (Institut Teknologi Bandung, 2022).
 57. Owor, R. O. *et al.* (2020): Isoflavones from the seedpods of *Tephrosia vogelii* and pyrazoisopongaflavone with anti-inflammatory effects. *Fitoterapia*. **146**, 104695.
 58. Bandara, H. M. D. & Burdette, S. C. (2012): Photoisomerization in different classes of azobenzene. *Chem. Soc. Rev.* **41**, 1809–1825.
 59. Klajn, R. (2013): Spiropyran–based dynamic materials. *Chem. Soc. Rev.* **43**, 148–184.
 60. Velema, W. A., Szymanski, W. & Feringa, B. L. (2014): Photopharmacology: Beyond Proof of Principle. *J. Am. Chem. Soc.* **136**, 2178–2191.
 61. Broichhagen, J., Frank, J. A. & Trauner, D. (2015): A Roadmap to Success in Photopharmacology. *Acc. Chem. Res.* **48**, 1947–1960.
 62. Lerch, M. M., Hansen, M. J., van Dam, G. M., Szymanski, W. & Feringa, B. L. (2016): Emerging Targets in Photopharmacology. *Angew. Chem., Int. Ed.* **55**, 2–24.
 63. Feringa, B. L. (2007): The Art of Building Small: From Molecular Switches to Molecular Motors. *J. Org. Chem.* **72**, 6635–6652.
 64. Feringa, B. L., Delden, R. A. Van, Koumura, N. & Geertsema, E. M. (2000): Chiroptical Molecular Switches. *Chem. Rev.* **100**, 1789–1816.
 65. Feringa, B. L., Jager, W. F., De Lange, B. & Meijer, E. W. (1991): Chiroptical Molecular Switch. *J. Am. Chem. Soc.* **113**, 5468–5470.
 66. Huck, N. P. M. & Feringa, B. L. (1995): Dual–mode Photoswitching of Luminescence. *J. Chem. Soc., Chem. commun.* 1095–1096.
 67. Browne, W. R., Pollard, M. M., Lange, B. De, Meetsma, A. & Feringa, B. L. (2006): Reversible Three–State Switching of Luminescence: A New Twist to Electro– and Photochromic Behavior. *J. Am. Chem. Soc.* **128**, 12412–12413.
 68. Chen, L., Hu, P., Lu, J. E. & Chen, S. (2017): Covalent Crosslinking of Graphene Quantum Dots by McMurry Deoxygenation Coupling. *Chem. Asian J.* **12**, 973–977.
 69. Huang, B., Shen, Y., Mao, Z., Liu, Y. & Cui, S. (2016): Metathesis Reaction of Diazo Compounds and *para*–Quinone Methides for C–C Double Bond Formation: Synthesis of Tetrasubstituted Alkenes and Quinolinones. *Org. Lett.* **18**, 4888–4891.
 70. Esfandiartard, K. *et al.* (2017): Unsymmetrical *E*–Alkenes from the Stereo–selective Reductive Coupling of Two Aldehydes. *J. Am. Chem. Soc.* **139**, 2940–2943.
 71. Eisch, J. J. & Fregene, P. O. (2018): Vanadium(I) chloride and lithium vanadium(I) dihydride as selective epimetallating reagents for π – and σ –bonded organic substrates. *Eur. J. Org. Chem.* 4482–4492.
 72. Howarth, J. & Finnegan, J. (1997): The synthesis of 9,10–dimethyl[7]helicene and 8,11–diaz[7]helicene. *Synth. Commun.* **27**, 3663–3668 (1997).
 73. Kauffmann, T; Kallweit, H. (1992): Niobium–induzierte reduktive

- Carbonyldimerisierung. *Chem. Ber.* **125**, 149–151.
74. Dams, R., Malinowski, M., & Geise, H. J. (1982): Active Metal Slurries as Coupling Agents. *Bull. Soc. Chim. Belg.* **91**, 149–152.
 75. Fujiwara, Y., Ishikawa, R., Akiyama, F. & Teranishi, S. (1978): Reductive Coupling of Carbonyl Compounds to Olefins by Tungsten Hexachloride-Lithium Aluminum Hydride and Some Tungsten and Molybdenum Carbonyls. *J. Org. Chem.* **43**, 2477–2480.
 76. McMurry, J. E. (1989): Carbonyl–Coupling Reactions Using Low–Valent Titanium. *Chem. Rev.* **89**, 1513–1524.
 77. Harit, V. K. & Ramesh, N. G. A (2016): Chiron Approach to Diversity–Oriented Synthesis of Aminocyclitols, (–)-Conduramine F–4 and Polyhydroxyaminoazepanes from a Common Precursor. *J. Org. Chem.* **81**, 11574–11586.
 78. McMurry, J. E. & Krepski, L. R. (1976): Synthesis of Unsymmetrical Olefins by Titanium(0) Induced Mixed Carbonyl Coupling. Some Comments on the Mechanism of the Pinacol Reaction. *J. Org. Chem.* **41**, 3929–3930.
 79. Takai, K. (2007): Reductive coupling reactions promoted by low-valent early transition metals and lanthanoids. in *Comprehensive Organometallic Chemistry III* (eds. Crabtree, R. H. & Mingos, D. M. P.) **11**, 39–73 (Elsevier Ltd).
 80. Ephritikhine, M. & Villiers, C. (2004): The McMurry Coupling and Related Reactions. in *Modern Carbonyl Olefination* (ed. Professor Dr. Takeshi Takeda) 223–285 (Wiley–VCH).
 81. Bravo, Jose A & Vila, J. (2018): Obtaining of Alkenes by Reductive Coupling of Carbonylic Compounds; Synthesis of Z,E–6–Dodecene, Syntheses of Flexibilene and Isocaryophyllene. *Rev. Bol. Quim.* **35**, 73–84.
 82. Kistemaker, J. C. M., Pizzolato, S. F., Leeuwen, T. Van, Pijper, T. C. & Feringa, B. L. (2016): Spectroscopic and Theoretical Identification of Two Thermal Isomerization Pathways for Bistable Chiral Overcrowded Alkenes. *Chem. Eur. J.* **22**, 1–11.
 83. Plunkett, K. N. *et al.* (2009): Expeditious Synthesis of Contorted Hexabenzocoronenes. *Org. Lett.* **11**, 2225–2228.
 84. Kaepplinger, C. *et al.* (2003): Barton–Kellogg olefination of conjugated dithioxo compounds. *Sulfur Lett.* **26**, 141–147.
 85. Hammer, N., Shubina, T. E., Gisselbrecht, J., Hampel, F. & Kivala, M. (2014): Synthesis and Properties of Arylvinyldene-Bridged Triphenylamines. *J. Org. Chem.* **80**, 2418–2424.
 86. Wagner, K., Weiss, D. & Beckert, R. (2000): New Luminescent Materials Based on a Steroid Molecule. *Eur. J. Org. Chem.* 3001–3005.
 87. Seif, A., Ahmadi, T. S. & Klein, A. (2022): Kinetics and mechanism of the Barton–Kellogg olefination : a computational DFT study using CTST theory and topological approaches †. *New J. Chem.* **46**, 10907–10919.
 88. Biedermann, P. U. & Agranat, I. (2014): Stereochemistry of Bistricyclic Aromatic Enes and Related Polycyclic Systems. *Top. Curr. Chem.* **350**, 177–277.
 89. Agranat, I. & Tapuhi, Y. (1978): Steric effects in fast thermal Z,E isomerization of overcrowded ethylenes. Conformational behavior of N,N'–

- dimethylbiacridans. *J. Am. Chem. Soc.* **100**, 5604–5609.
90. Feringa, B. L., Jager, W. F. & Lange, B. De. (1993): Sterically Overcrowded Alkenes; a Stereospecific Photochemical and Thermal Isomerization of a Benzoannulated Bithioxanthylidene. *J. Chem. Soc., Chem. commun.* 288–290.
 91. Feringa, B. & Wynberg, H. (1977): Torsionally Distorted Olefins. Resolution of *cis*- and *trans*-4, 4'-Bi-1, 1', 2, 2', 3, 3'-hexahydrophenanthrylidene. *J. Am. Chem. Soc.* **99**, 602–603.
 92. Feringa, B. L., Jager, W. F. & Lange, B. De. (1992): Resolution of Sterically Overcrowded Ethylenes; A Remarkable Correlation between Bond Lengths and Racemization Barriers. *Tetrahedron Lett.* **33**, 2887–2890.
 93. Jager, W. I., Lange, B. De, Schoevaars, A. M., Bolhuis, F. Van & Feringa, B. L. (1993): Sterically Overcrowded Alkenes; Synthesis, Resolution and Circular Dichroism Studies of Substituted Bithioxanthylidenes. **4**, 1481–1497.
 94. Kim, G. & Chu-Moyer, Margaret Y Danishefsky, Samuel J Schulte, G. K. (2003): The Total Synthesis of Indolizomycin. *J. Am. Chem. Soc.* **115**, 30–39.
 95. Yang, M., Li, J. & Li, A. (2015): Total synthesis of clostrubin. *Nat. Commun.* 1–6 (2015).
 96. Davies, H. M. L., Bruzinski, P. R., Lake, D. H., Kong, N. & Fall, M. J. (1996): Asymmetric Cyclopropanations by Rhodium(II) N-(Arylsulfonyl)prolinate Catalyzed Decomposition of Vinyldiazomethanes in the Presence of Alkenes. Practical Enantioselective Synthesis of the Four Stereoisomers of 2-Phenylcyclopropan-1-amino Acid. *J. Am. Chem. Soc.* **118**, 6897–6907.
 97. Reddy, R. P., Lee, G. H. & Davies, H. M. L. (2006): Dirhodium Tetracarboxylate Derived from Adamantylglycine as a Chiral Catalyst for Carbenoid Reactions. *Org. Lett.* **8**, 3437–3440.
 98. Hansen, J. & Davies, H. M. L. (2008): High symmetry dirhodium(II) paddlewheel complexes as chiral catalysts. *Coord. Chem. Rev.* **252**, 545–555.
 99. Schmidt, T. A. & Sparr, C. (2021): Catalyst-Controlled Stereoselective Barton-Kellogg Olefination. *Angew. Chem., Int. Ed.* **60**, 1–8.
 100. Yerrabelly, J. R., Bathini, P. K., Yerrabelly, H. & Vadapalli, K. (2021): Unusual Titanium-induced McMurry Coupling of 4-oxo-4H-chromene-2-Carbaldehydes Enroute to bis-chromones. *New J. Chem.* **45**, 4705–4709.