

DAFTAR PUSTAKA

- Aakeroy, C.B., Fasulo, M.E., Desper, J., (2007), Cocrystal or Salt: Does It Really Matter?, *Molecular Pharmaceutics*, 4, 317-322.
- Abdou, H.M., (1989), *Factors Affecting the Rate of Dissolution of Solid Dosage Forms*, dalam: *Dissolution, Bioavailability, and Bioequivalence*, Easton, Penn. Mack, 73-105.
- Adeyeye, M.C., (2008), *Drug-Excipient Interaction Occurrences During Solid Dosage Form Development*, 361-430 dalam Adeyeye, M.C., dan Brittain, H.G., Eds., *Preformulation in Solid Dosage Form Development*, Informa Healthcare, USA, Inc.
- Adsmund, D.A., dan Grant, D.JW., (2001), Hydrogen Bonding in Sulfonamides, *Journal of Pharmaceutical Sciences*, 90 (12), 2058-77.
- Aguiar, A. J., Krc, J., Kinkel, A. W., Samyn, J. C., (1967), Effect of Polymorphism on the Absorption of Chloramphenicol from Chloramphenicol Pamate, *Journal of Pharmaceutical Sciences*, 56, 847-853.
- Airaksinen, S., Luukkonen, P., Jørgensen, A., Karjalainen, M., Rantanen, J., dan Yliruusi, J. (2003). Effect of Excipients on Hydrate Formation in Wet Masses Containing Theophylline. *Journal of Pharmaceutical Sciences*, 92, 516-528.
- Airaksinen, S., Karjalainen, M., Räsänen, E., Rantanen, J., dan Yliruusi, J. (2004). Comparison of the Effects of Two Drying Methods on Polymorphism of Theophylline. *International Journal of Pharmaceutics*, 129-141.
- Airaksinen, S., Karjalainen, M., Kivikero, N., Westermarck, S., Shevchenko, A., Rantanen, J., dan Yliruusi, J., (2005), Excipient Selection can Significantly Affect Solid-State Phase Transformation in Formulation during Wet Granulation. *AAPS PharmSciTech*, 6, 311- 322.
- Andronis, V.; Zografi, G., (2000), Crystal Nucleation and Growth of Indomethacin Polymorphs from the Amorphous State. *Journal of Non-Crystalline Solids*, 271, 236-248.
- Badawy, S.I.F., Ghorab, M.M., dan Adeyeye, C.M., (1996), Characterization and Bioavailability of Danazol-Hydroxypropil β -cyclodextrin, *International Journal of Pharmaceutics*, 128, 45-54.

- Balyejjusa, S., Adome, R.O., dan Musoke, D., (2002), Spectrophotometric Determination of Sulfamethoxazole and Trimethoprim (co-trimoxazole) in Binary Mixtures and in Tablets, *African Health Sciences*, 2(2), 56-62.
- Bak, A., Gore, A., Yanez, E., Stanton, M., Tufekcic, S., Syed, R., Akrami, A., Rose, M., Surapaneni, S., Bostick, T., King, A., Neervannan, S., Ostovic, D., dan Koparpar, A., (2008), The Cocrystal Approach to Improve the Exposure of a Water Insoluble Compound: AMG 517 Sorbic Acid Cocrystal Characterization and Pharmacokinetics, *Journal of Pharmaceutical Sciences*, 97(9), 3942-3956.
- Basavoju, S., Bostrom, D., dan Velaga, S.P., (2006), Pharmaceutical Cocrystal and Salts of Norfloxacin, *Crystal Growth and Design*, 6(12), 2699-2708.
- Basavoju, S., Bostrom, D., dan Velaga, S.P., (2007), Indomethacin-Saccharin Cocrystal: Design, Synthesis and Preliminary Pharmaceutical Characterization, *Pharmaceutical Research*, 24 (1).
- Bauer-Brandl, A., (1996). Polymorphic Transitions of Cimetidine during Manufacture of Solid Dosage Forms., *International Journal of Pharmaceutics*, 140, 195-206.
- Bauer, J., Spanton, S., Henry, R., Quick, J., Dziki, W., Porter, W., dan Morris, J., (2001), Ritonavir: an Extraordinary Example of Conformational Polymorphism, *Pharmaceutical Research*, 18, 859-866.
- Baram, J., dan Erukhimovitch, V., (1997), Application of Thermal Analysis Methods to Nucleation and Growth Transformation Kinetics, *Thermochimica Acta*, 291, 81-84.
- Berry, D.J., Seaton, C.C., Clegg, W., Harrington, R.W., Coles S.J., Horton, P.N., Hursthouse, M.B., Storey, R., Jones, W., Friscic, T., dan Blagden, N., (2008), Applying Hot-Stage Microscopy to Cocrystal Screening: A Study of Nicotinamide with Seven Active Pharmaceutical Ingredients, *Crystal Growth and Design*, 8(5), 1697-1712.
- Bettinetti, G., dan Giordano, F., (1988), Interaction Between Trimethoprim and Some Sulfa Drugs, *Drug Development and Industrial Pharmacy*, 14(4), 431-449.
- Bettinetti, G., dan Sardone, N., (1997), Methanol Solvate of the 1:1 Molecular Complex of Trimethoprim and Sulfadimidine, *Acta Crystallographica Section C*, 594-597.
- Blagden, N., Matas, M., Gavan, P.T., dan York, P., (2007), Crystal Engineering of Active Pharmaceutical Ingredients to Improve Solubility and Dissolution Rates, *Advance Drug Delivery Review*, 59, 617-630.

- Bhutani, H., dan Singh, S., (2005), Drug-Drug interaction Studies on First Line Anti-tuberculosis Drugs, *Pharmaceutical Development and Technology*, 10, 517-524.
- Bond, A.D., (2007), What is a Cocrystal, *Crystal Engineering Communication*, 9, 833-834
- Braga, D., Desiraju, G.R., Miller, J.S., Orpen, A.G., Price, S.L., (2002), Innovation in Crystal Engineering, *Crystal Engineering Communication*, 4, 500– 509.
- Braga, D., D'Addario, D., Giaffreda, S.L., Maini, L., Polito, M., dan Grepioni, F., (2005), Intra-Solid and Inter Solid Reactions of Molecular Crystals: a Green Route to Crystal Engineering, *Topic Current Chemistry*, 254, 71-94.
- Brittain, H.G., (2003), *X-ray Diffraction of Pharmaceutical Materials*, dalam : Brittain, H.G., ed., Profile of Drug Substances, Excipients, and Related Methodology, Academic Press, Amsterdam, 273-319
- Brittain, H.G., (2002), Minireview: Effects of Mechanical Processing on Phase Composition, *Journal of Pharmaceutical Sciences*, 91 (7), 1573-80.
- Brittain HG dan Fiese EF. (1999), Effects of Pharmaceutical Processing on Drug Polymorphs and Solvates. dalam: Brittain HG, editor. *Polymorphism in Pharmaceutical Solids*. New York: Marcel Dekker, 331–361.
- Brodka-Pfeiffer, K., Langguth, P., Gra, P., dan Hausler, H. (2003), Influence of Mechanical Activation on the Physical Stability of Salbutamol Sulphate, *European Journal of Pharmaceutics and Biopharmaceutics*, 56, 393-400.
- Bugay, D.E., (2001), Characterization of the Solid-State: Spectroscopic Techniques, *Advance Drug Delivery Review*. 48, 43–65.
- Byrn, S.R., Xu, W., Newman, A.W, (2001), Chemical Reactivity in Solid-State Pharmaceuticals: Formulation Implications, *Advance Drug Delivery Review*, 48 115– 136.
- Byrn, S.R., Pfeiffer, R.R., Stowell, J.G. (1999), *Solid-State Chemistry of Drugs*, SSCI, West Lafayette, IN
- Caira, M.R., (2007), Sulfa Drugs as Model Cocrystal Formers, *Molecular Pharmaceutics*, 4 (3), 310-316.
- Cardew, P.T. dan Davey, R.J. (1985). The kinetics of solvent-mediated phase transformations, *Proceedings of the Royal Society of London. Series A, Mathematical and Physical Sciences*, 398, 415-428.

- Carstensen, J.T., (2001), *Advanced Pharmaceutical Solid*, Taylor & Francis, 172-177.
- Chadha, R., Kashid, N., Jain, D.V.S., (2004), Microcalorimetric Evaluation of the in Vitro Compatibility of Amoxicilin/clavulanic Acid and Ampicillin/sulbactam with Ciprofloxacin, *Journal of Pharmaceutical Biomedical and Analysis*, 36, 295-307.
- Chadwick, K., Davey, R., dan Cross, W., (2007), How does grinding produce co-crystals? Insight from case of benzophenone and diphenylamine, *Crystal Engineering Communication*, 9, 732-734.
- Chan, H.K. dan Doelker, E. (1985), Polymorphic Transformation of Some Drugs Under Compression, *Drug Development and Industrial Pharmacy*, 11, 315-332.
- Chen, X., Ulrich, J., Griesser J., (2005), Analysis of the Acid-Base Reaction between Solid Indomethacin and Sodium Bicarbonate Using Infrared Spectroscopy, X-ray Powder Diffraction and Solid State Nuclear Magnetic Resonance Spectroscopy, *Journal of Pharmaceutical Biomedical and Analysis*, 38, 670-677.
- Chen, X., Morris, K.R., Griesser, U.J., Byrn, S.R., dan Stowell, J.G., (2002), Reactivity Differences of Indomethacin Solid Forms with Ammonia Gas, *Journal of American Chemical Society*, 124, 15012– 15019.
- Cheung, E.Y., Kitchin, S.J., Harris, K.D., Imai, Y., Tajima, N., dan Kuroda, R., (2003), Direct Structure Determination of a Multicomponent Molecular Crystal Prepared by a Solid State Grinding Prosedure, *Journal of American Chemical Society*, 125, 14658-14659.
- Chikhalia, V., Forbes, R.T., Storey, R.A., dan Ticehurst, M. (2006), The Effect of Crystal Morphology and Mill Type on Milling Induced Crystal Disorder. *European Journal of Pharmaceutical Sciences*, 27, 19-26.
- Chieng, N., Hubert, M., Saville, D., Rades, T., dan Aaltonen, J., (2009), Formation Kinetics and Stability of Carbamazepine-Nicotinamide Cocrytals Prepared by Mechanical Activation, *Crystal Growth and Design*, 9(5), 2377-2386.
- Chieng, N., Zujovic, Z., Bowmaker, G., Rades, T., dan Saville, D., (2006), Effect of Milling Condition on Solid State Conversion of Ranitidine Hydrochloride Form I, *International Journal of Pharmaceutics*, 327, 36-44.
- Childs, S.L., Chyall, L.J., Dunlap, J.T., Smolenskaya, V.N., Stahly, B.C., dan Stahly G.P., (2004), Crystal Engineering Approach to Forming Cocrytal of Amine Hydrochloride with Organic Acids. Molecular Complexes of Fluoxetine

Hydrochloride with Benzoic, Succinic and Fumaric Acids, *Journal of American Chemical Society*, 126, 13335-13342.

Childs, S.L., Hardcastle, K.I., (2007), Cocrystals of Piroxicam with carboxylic Acids, *Crystal Growth and Design*, 7, 439-448.

Chiou, W.L., dan Riegelman, S., (1971), Pharmaceutical Application of Solid Dispersion Systems, *Journal of Pharmaceutical Sciences*, 60, 1281-1302.

Chow, K., Tong, H.Y., Lum, S., dan Chow, H.L., (2008), Review: Engineering of Pharmaceutical Materials: An Industrial Perspective, *Journal of Pharmaceutical Sciences*, 97(8), 2855-2877.

Colombo, I., Grassi, G., dan Grassi, M., (2009), Drug Mechanochemical Activation, *Journal of Pharmaceutical Sciences*, 98(11), 3961-3985.

Crowley, K.J, dan Zografi, G., (2002), Cryogenic Grinding of Indomethacin Polymorphs and Solvates: Assessment of Amorphous Phase Formation and Amorphous Phase Physical Stability, *Journal of Pharmaceutical Sciences*, 91 (2), 492-507.

Cui, Y. A., (2007), Material Science Perspective of Pharmaceutical Solids, *International Journal of Pharmaceutics*, 339, 3-18.

Dahlan, R., McDonald, C., dan Sunderland, V.B., (1988), Dissolution Rates of Trimethoprim-Sulphamethoxazole and Trimethoprim Tablets in Aqueous Media, *Drug Development and Industrial Pharmacy*, 14(8), 1125-1129.

Davey, R.J., Cardew, P.T., McEvan, D., dan Sadler, D.E. (1986), Rate controlling processes in solvent-mediated phase transformations. *Journal of Crystal Growth*, 79, 648-653.

Davis, R.E., Lorimer, K.A., Wilkowski, M.A., Rivers, J.H., (2004), Studies of Relationship in Cocrystal Systems, *ACA Transactions*, 39, 41-61.

Davis, T.D., Morris, K.R., Huang, H., Peck, G.E., Stowell, J.G., Eisenhauer, B.J., Hilden, J.L., Gibson, D., dan Byrn, S.R. (2003), In Situ Monitoring of Wet Granulation Using Online X-ray Powder Diffraction. *Pharmaceutical Research*, 20, 1851-1857.

Desiraju, G.R., (2003), Crystal and Cocrystal, *Crystal Engineering Communication*, 5(82), 466-467.

- Desai, D., Kothari, S., dan Huang, M., (2008), Solid State Interaction of Stearic Acid with Povidone and its Effect on Dissolution Stability of Capsules, *International Journal of Pharmaceutics*, 354, 77-81.
- De Villiers, M.M., van der Watt, J.G., dan Lotter, A.P., (1992), Kinetic Study of the Solid-State Photolytic Degradation of Two Polymorphic Forms of Furosemide, *International Journal of Pharmaceutics*, 88, 275–283.
- Dong, W., Gilmore, C., Barr, G., Dallman, C., Feeder, N., dan Terry, S., (2008), A Quick Method for the Quantitative Analysis of Mixtures. 1. Powder X-Ray Diffraction, *Journal of Pharmaceutical Sciences*, 97(6), 2260-2276.
- Dooren, A.A.V., (1983), Design for Drug-Excipient Interaction Studies, *Drug Development and Industrial Pharmacy*, 9, 43-55.
- Dressman, J.B, Reppas, C., Symillides, M., (1998), Effect of Elevated Viscosity in Upper Gastrointestinal Tracts on Drugs Absorption in Dogs, *European Journal of Pharmaceutical Sciences*, 6, 131-139.
- Du, G., Li, W., Fu, Y., Chen, N., Yin, C., dan Yan, M., (2008), An Investigation on the Solid State Reaction in CaCu₃Ti₄O₁₂-ZnNb₂O₆ System, *Materials Research Bulletin*, 43, 2504-2508.
- Dunitz, J.D., (2003), Crystal and Co-crystal: a Second Opinion, *Crystal Engineering Communication*, 5(91), 506-506.
- Eyjolfsson, R., (2002), Enalapril Maleate Polymorphs: Instability of Form II in a Tablet Formulation, *Pharmazie*, 57, 347– 348.
- Departemen Kesehatan R.I, (1995), *Farmakope Indonesia Edisi IV*.
- Finholt, P., (1974), *Influence of Formulation of Dissolution Rate*, dalam: Leeson, L.J dan Carstensen, J.T., eds, *Dissolution Technology*, Academy of Pharmaceutical Sciences, 106-146, Washington DC.
- Florey, K., (1978), *Analytical Profiles of Drug Substances*, Vol. 7, 447-475, Academic Press.
- Florey, K., (1973), *Analytical Profiles of Drug Substances*, Vol. 3, 467-486, Academic Press.
- Friscic, T., dan Jones, W., (2009), Recent Advances in Understanding the Mechanism of Cocrystal Formation via Grinding, *Crystal Growth and Design*, 9(3), 1621-1637.

- Fujii, K., Ashida, Y., Uekusa, H., Hirano, S., Toyota, S., Toda, F., Pan, Z., Harris, K.D., (2009), Vapour Induced Crystalline Transformation Investigated by *ab initio* Powder X-ray Diffraction Analysis, *Crystal Growth and Design*, 9(2), 1201-1207.
- Friscic, T., Childs, S.L., Rizvi, S.A., dan Jones, W., (2009), The Role of Solvent in Mechanochemical and Sonochemical Cocrystal Formation: a Solubility-Based Approach for Predicting Cocrystallization Outcome, *Crystal Engineering Communication*, 11, 418-426.
- Fukuoka, E., Makita, M., Yamamura, S., dan Yoshihashi, Y., (1994), Solid State Reaction between Sulfacetamide and Phthalic Anhydride by Grinding, *Chemical Pharmaceutical Bulletin*, 42(6), 1342-1344.
- Galwey AK., dan Brown, M.E., (2002), Application of the Arrhenius Equation to Solid State Kinetics: can This Justified?, *Thermochimica Acta*, 386, 91-98.
- Galia, E., Horter, D., Reppas, C., dan Dressman, J.B., (1998), Evaluation of Various Dissolution Media for Predicting in Vivo Performance of Class I and II Drugs, *Pharmaceutical Research*, 15, 693-705.
- Gagniere, E., Mangin, D., Puel, F., Bebon, C., Klein, J.P., Monnier, O., dan Garcia, E., (2009), Cocrystal Formation in Solution: In Situ Solute Concentration Monitoring of the Two Components and Kinetic Pathways, *Crystal Growth and Design*, 9(8), 3376-3383.
- Garekani, H.A., Sadeghi, F., Badiie, A., Mostafa, S.A., dan Rajabi-Siahboomi, A.R., (2001), Crystal Habit Modifications of Ibuprofen and Their Physicochemical Characteristics, *Drug Development and Industrial Pharmacy*, 27(8), 803-809.
- Ghorab, M.K., dan Adeyeye, C.M., (2003), Enhanced Bioavailability of Process-Induced Fast Dissolving Ibuprofen Co-granulated with β -cyclodextrin, *Journal of Pharmaceutical Sciences*, 92(8), 1691-1697.
- Giordano, F., Bettinetti, G., Cursano, R., Rillosi, M., dan Gazzaniga, A., (1995), A Physicochemical Approach to the Investigation of the Stability of Trimethoprim-Sulfamethoxazole (Co-Trimoxazole) Mixtures for Injectables, *Journal of Pharmaceutical Sciences*, 84(10), 1254-1258.
- Goldberg, A.H., Gibaldi, M., and Kanig, J.L., Mayersohn, M. (1966), Increasing Dissolution Rates and Gastrointestinal Absorption of Drugs via Solid Solutions and Eutectic Mixtures IV: Chlorphenicol-Urea System, *Journal of Pharmaceutical Sciences*, 55(6), 581-583.

- Goldberg, A.H., Gibaldi, M., and Kanig, J.L., (1966), Increasing Dissolution Rates and Gastrointestinal Absorption of Drug via Solid Solutions and Eutectic Mixtures II, *Journal of Pharmaceutical Science*, 55, 482.
- Grant, D.J.W., (1999), Theory and Origin of Polymorphism dalam: Brittain HG, editor. *Polymorphism in Pharmaceutical Solids*. New York: Marcel Dekker, 1-33.
- Gu, C.H., Young, V., Grant, D.J.W., (2001), Polymorp Screening: Influence of Solvents on The Rate of Solvent-Mediated Polymorph Transformation, *Journal of Pharmaceutical Science*, 90, 1878-1890.
- Gupta, R.L., Kumar, R., dan Singla, A.K., (1991), Enhanced Dissolution and Absorption of Trimethoprim from Coprecipitates with Polyethylene Glycols and Polyvinylpyrrolidone, *Drug Development and Industrial Pharmacy*, 17(3), 463-468.
- Hammouda, Y., El-Gholmy, Z.A., Shleib, H.A., dan El-Khourdagui, L.K., (1986), Aminodiazine : A Molecular Compound of Sulfadiazine and Ethylenediamine, *Drug Development and Industrial Pharmacy*, 12(6), 875-888.
- Han, J., dan Suryanarayanan, R., (1999), A Method for the Rapid Evaluation of the Physical Stability of Pharmaceutical Hydrates, *Thermochimica Acta*, 329, 163-170.
- Hancock, B.C. dan Parks, M. 2000. What is the true solubility advantage for amorphous pharmaceuticals?, *Pharmaceutical Research*, 17, 397-404.
- Hardman, J.G., dan Limbird, L.E., (eds) (2001), *Goodman & Gilman Dasar Farmakologi Terapi*, diterjemahkan oleh Tim alih bahasa sekolah farmasi ITB, Penerbit EGC, Jakarta. Halaman 1136-1138.
- Hassouna, M.E.M., (1997), Simultaneous Spectrophotometric Determination of Sulfamethoxazole and Trimethoprim in Drugs, *Analytical Letters*, 30(13), 2341-2352.
- Hausman, D.S., Cambron, R.T., dan Sakr, A. 2005. Application of on-line Raman spectroscopy for characterizing relationships between drug hydration state and tablet physical stability. *International Journal of Pharmaceutics*, 299, 19-33.
- Herman, J., Remon, J.P., Visavarungroj, N., Schwartz, J.B., dan Klinger, G.H. 1988. Formation of theophylline monohydrate during the pelletization of microcrystalline celluloseanhydrous theophylline blends. *International Journal of Pharmaceutics*, 42, 15-18.

- Hickey, M.B., Peterson, M.L., Scoppettuolo, L.A., dkk, (2007), Performance Comparison of a Cocrystal of a Carbamazepine with Marketed Product, *European Journal of Pharmaceutics and Biopharmaceutics*, 67, 112-119.
- Hildebrand, G.E., dan Mueller-Goymann, C.C., (1997), Ketoprofen Sodium: Preparation and its Formation of Mixed Crystals with Ketoprofen, *Journal of Pharmaceutical Science*, 86, 854-857.
- Hornedo, N.R., Sarah J. Nehm, Kurt F. Seefeldt, Yomaira Paga'n-Torres, dan Christopher J. Falkiewicz, (2006). Reaction Crystallization of Pharmaceutical Molecular Complexes, *Molecular Pharmaceutics*, 3(3), 362-367.
- Horter, D., dan Dressman, J.B., (1997), Influence of Physicochemical Properties on Dissolution of Drugs in the Gastrointestinal Tract, *Advanced Drug Delivery Reviews*, 25, 3-14.
- Jayasankar, A., Good, D.J., dan Rodriguez-Hornedo, N., (2007), Mechanism by Which Moisture Generates Cocrystal, *Molecular Pharmaceutics*, 4, 360-372.
- Jayasankar, A., Somwangthanaroj, A., Shao, Z.J., dan Rodriguez-Hornedo, N., (2006), Cocrystal formation during cogrinding and storage is mediated by amorphous phase, *Pharmaceutical Research*, 23 (10), 2381-2392.
- Jørgensen, A.C., Airaksinen, S., Karjalainen, M., Luukkonen, P., Rantanen, J., dan Yliruusi, J., (2004), Role of Excipients in Hydrate Formation Kinetics of Theophylline in Wet Masses Studied by Near-Infrared Spectroscopy., *European Journal of Pharmaceutical Sciences*, 23, 99-104.
- Kamat, S.M., Osawa, T., DeAngelis, R.J., Koyama, Y., dan DeLuca, P.P, (1988), Estimation of the Degree of Crystallinity of Cefazolin Sodium by X-Ray and Infrared Methods, *Pharmaceutical Research*, 5(7), 426-429.
- Kang, L., Jun, H.W., dan McCall, J.W., (2000), Physicochemical Studies of Lidocaine-Menthol Binary System for Enhanced Membrane Transport, *International Journal of Pharmaceutics*, 206, 35-42.
- Karki, S., Friscic, T., dan Jones, W., (2009), Control and Interconversion of Cocrystal Stoichiometry in Grinding: Stepwise mechanism for the Formation of a Hydrogen-Bonded Cocrystal, *Crystal Engineering Communication*, 11, 470-481.
- Kato, F., Otsuka, M., dan Matsuda, Y., (2006), Kinetic Study of the Transformation of Mefenamic Acid Polymorph in Various Solvents and Under High Humidity Conditions, *International Journal of Pharmaceutics*, 321, 18-26.

- Ke, X., Ping, Q., dan Liao, Z., (2006), Interconversion Kinetic Studies of Betamethasone Acetate Polymorph in Water, *Drug Development and Industrial Pharmacy*, (32) 1019-1024.
- Ketolainen, J., Poso, A., Viitasaari, V., Gynther, J., Pirttimäki, J., Laine, E., dan Paronen, P. (1995), Changes in Solid-State Structure of Cyclophosphamide Monohydrate Induced by Mechanical Treatment and Storage. *Pharmaceutical Research*, 12, 299-304.
- Khankari, R.K., dan Grant, D.J.W., (1995), Pharmaceutical Hydrates, *Thermochimica Acta*, 248, 61-79.
- Khawam, A., dan Flanagan, D.R., (2006), Basics and Application of Solid-State Kinetics: A Pharmaceutical Perspective, *Journal of Pharmaceutical Sciences*, 95 (3), 472-498.
- Korany, M.A., Wahbi, A.M., Elsayed, M.A., dan Mandour, S., (1984), First Derivative Spectrophotometric Determination of Certain Drugs in Two Component Mixture, *Analytical Letters*, 17(B12), 1373-1389.
- Krenn M., Gamesik M.P., Vogelsang G.B., Colvin, O.M., Leong, K.W., (1992), Improvement in Solubility and Stability of Thalidomide upon Complexation with Hydroxypropil- β -cyclodextrin, *Journal of Pharmaceutical Sciences*, 81, 685-689.
- Kustrin, S.A., Wu, V., Rades, T., (1999), Powder Diffractometric Assay of Two Polymorphic Forms of Ranitidine Hydrochloride, *International Journal of Pharmaceutics*, 184, 107-114.
- Lagas, M. dan Lerk, C.F. (1981), The Polymorphism of Sulphathiazole. *International Journal of Pharmaceutics*, 8, 11-24.
- Leuner, C., dan Dressman, J., (2000), Improving Drug Solubility for Oral Drug Delivery Using Solid Dispersions, *European Journal of Pharmaceutics and Biopharmaceutics*, 50, 47-60.
- Li N, Zhang Y-H, Wu Y-N, Xiong X-L dan Zhang Y-H, (2005), Inclusion Complex of Trimethoprim with β -Cyclodextrin. *Journal of Pharmaceutical and Biomedical Analysis*, 39, 824-829.
- Limmatvapirat, S., Yonemochi, E., Oguchi, T., dan Yamamoto, K., (1997), Complex Formation between Deoxycholic Acid and Menadione by Grinding and Sealed Heating Methods, *Chemical Pharmaceutical Bulletin*, 45(8), 1358-1362.

- Lin, S-Y., Cheng, W-T, Wang, S-L., (2006), Thermodynamic and Kinetics Characterization of Polymorphic Transformation of Famotidine during Grinding, *International Journal of Pharmaceutics*, 318, 86-91.
- Lopez-Martinez, L., Lopez-de-Alba, L., Leon-Rodriguez, L.M., Yopez-Murrieta, (2002), Simultaneous determination of Binary Mixtures of Trimethoprim and Sulfamethoxazole or Sulphamethoxyypyridazine by the Bivariate Calibration Spectrophotometric Method, *Journal of Pharmaceutical and Biomedical Analysis* 30, 77-85.
- Lu, E., Rodriguez-Hornedo, N., dan Suryanarayanan, R., (2008), A Rapid Thermal Method for Cocrystal Screening, *Crystal Engineering Communication*, 10, 665-668.
- Luner, P.E., Majuru S., Seyer, J.J., dan Kemper M.S., (2000), Quantifying Crystalline Form Composition in Binary Powder Mixtures Using Near-Infrared Reflectance Spectroscopy, *Pharmaceutical Development and Technology*, 5(2), 231-246.
- Mackin, L., Zanon, R., Park, J.M., Foster, K., Opalenik, H., dan Demonte, M. 2002. Quantification of low levels (<10%) of amorphous content in micronised active batches using dynamic vapour sorption and isothermal microcalorimetry. *International Journal of Pharmaceutics*, 231, 227-236.
- Maheshwari, C., Jayasankar, A., Khan, N.A., Amidon, G.E., dan Rodriguez-Hornedo, N., (2009), Factors that Influence the Spontaneous Formation of Pharmaceutical Cocrystals by Simply Mixing Solid Reactants, *Crystal Engineering Communication*, 11, 493-500.
- Markoupoulou, C.K., Malliou, E.T., dan Koundourellis, J.E., (2004), Chemometric and Derivative Methods as Flexible Spectrometric Approaches for Dissolution and Assaying Tests in Multicomponent Tablets, *Il Farmaco*, 59, 627-636.
- Martin, A., (1993), *Physical Pharmacy*, Lea & Febiger Philadelphia London, 295-296.
- Matsumoto, T., Kaneniwa, N., Higuchi, S., dan Otsuka, M. 1991. Effects of temperature and pressure during compression on the polymorphic transformation and crushing strength of chlorpropamide tablets. *Journal of Pharmacy and Pharmacology*, 43, 74-78.
- Mc.Namara, D.P., Childs, S.L., Giordano, J., Larricio, A., Cassidy, J., Shet, M.S., Mannion, R., O'Donnell, E., dan Park, A., (2006), Use of a Glutaric Acid Cocrystal to Improve Oral Bioavailability of a Low Solubility API, *Pharmaceutical Research*, 23(4), 1888-1897.

- Meanwell, N.A., (2008), Emerging Utility of Cocrystals in Drug Discovery and Development, *Annual report in Medicinal Chemistry*, 43, 373-404.
- Moffat, A.C., Osselton, M.D., dan Widdop (eds), (2004), *Clarke's Analysis of Drugs and Poisons*, 3rd, 1582-1583, 1677-1678, Pharmaceutical Press.
- Moribe, K., Tsuchiya, M., Tozuka, Y., Yamaghuci, K., Oguchi, T., dan Yamamoto, K., (2004), Grinding-Induced Equimolar Complex Formation between Thiourea and Ethenzamide, *Chemical Pharmaceutical Bulletin*, 52(5), 524-529.
- Morisette, S.L., Almarsson, O., Petron, M.L., Remenar, J.F., Read, M.J., Lemmo, A.V., Ellis, S., Cima, M.J., Gardner, C.R, (2004), High-Throughput Crystallization: Polymorphs, Salts, Cocrystal and Solvates of Pharmaceutical Solids, *Advanced Drug Delivery Reviews*, 56, 275-300.
- Morris, K.R., (1999), *Structural Aspects of Hydrates and Solvates*, dalam: Brittain, H.G., ed., *Polymorphism in Pharmaceutical Solids*, 125-181, Marcel Dekker, New York.
- Morris, K.R., Griesser, U.J., Eckhardt, C.J., Stowell, J.G., (2001), Theoretical Approaches to Physical Transformations of Active Pharmaceutical Ingredients during Manufacturing Processes, *Advanced Drug Delivery Reviews*, 48 91–114.
- Mullin, J.W., (2001), *Crystallization*, 4th, 1-30, Oxford, Butterworth-Heinemann.
- Mullins, J.D. and Macek, T.J., (1960), Some Pharmaceutical Properties of Novobiocin, *Journal Pharmaceutical Sciences*, 49, 245-248.
- Nakai, H., Takasuka, M., dan Shiro, M., (1984), X-ray dan Infrared Spectral Studies of the Ionic Structure of Trimethoprim-Sulfamethoxazole 1:1 Molecular Complex, *Journal of Chemical Society Perkin Transaction*, II, 1459-1464.
- Nakai, Y., Yamamoto, K., Terada, K., Oguchi, T., Saito, H., dan Watanabe, D., (1989), New Methods for Preparing Cyclodextrins Inclusion Compounds II. Effects of Heating Temperature, Water Content and Drug Properties on Inclusion Formation, *Chemical Pharmaceutical Bulletin*, 37(4), 1055-1058.
- Nangia, A., dan Desiraju, G.R., (1998), Supramolecular Synthons and Pattern Recognition, *Topic on Current Chemistry*, 198, 58-95.
- Newman, A.W., dan Byrn, S.R., (2003), Solid State Analysis of the Active Pharmaceutical Ingredient in Drug Product, *Drug Discovery Today*, 8, 898-905.

- Nicoli, S., Bilzi, S., Santi, P., Caira, M.R., Li, J., dan Bettini, R., (2008), Ethyl-Paraben and Nicotinamide Mixtures: Apparent Solubility, Thermal Behavior and X-ray Structure of the 1:1 Co-crystal, *Journal Pharmaceutical Sciences*, 97(11), 4830-4839.
- Nugrahani, I., Asyarie, S., Soewandhi, S.N., Ibrahim, S., (2008), The Cold Contact Method as a Simple Drug Interaction Detection System, *Research Letter in Physical Chemistry*, 1-4, doi;10.1155/2008/169247.
- Oberoi, L.M., Alexander, K.S., Riga, A.T., (2005), Study of Interaction between Ibuprofen and Nicotinamide Using Differential Scanning Calorimetry, Spectroscopy and Microscopy and Formulation of a Fast-Acting and Possibly Better Ibuprofen Suspension for Osteoarthritis Patients, *Journal of Pharmaceutical Sciences*, 94, 93-101.
- Oguchi, T., Tozuka, Y., Hanawa, T., Mizutani, M., Sasaki, N., Limmatvapirat, S., dan Yamamoto, K., (2002), Elucidation of Solid State Complexation in Ground Mixtures of Cholic Acid and Guest Compounds, *Chemical Pharmaceutical Bulletin* 50 (7) 887-891.
- Ohta, M. dan Buckton, G. (2004). Determination of the Changes in Surface Energetics of Cefditoren Pivoxil as a Consequence of Processing Induced Disorder and Equilibration to Different Relative Humidities., *International Journal of Pharmaceutics*, 269, 81-88.
- Ojeda, C.B., dan Rojas, F.S., (2004), Recent Development in Derivative Ultraviolet/Visible Absorption Spectrometry, *Analytica Chimica Acta*, 518, 1-24.
- Otsuka, M. dan Kaneniwa, N. (1986). Effect of Seed Crystals on Solid-State Transformation of Polymorphs of Chloramphenicol Palmitate during Grinding. *Journal of Pharmaceutical Sciences*, 75, 506-511.
- Otsuka, M., Matsumoto, T., dan Kaneniwa, N. (1989). Effects of the mechanical energy of multi tableting compression on the polymorphic transformations of chlorpropamide. *Journal of Pharmacy and Pharmacology*, 41, 665-669.
- Otsuka, M., Hasegawa, H., dan Matsuda, Y. (1999a). Effect of polymorphic forms of bulk powders on pharmaceutical properties of carbamazepine granules. *Chemical & Pharmaceutical Bulletin*, 47, 852-856.
- Otsuka, M., Ofusa, T., dan Matsuda, Y. (1999b). Effect of Environmental Humidity on the Transformation Pathway of Carbamazepine Polymorphic Modifications during Grinding. *Colloids and Surfaces B: Biointerfaces*, 13, 263-273.

- Otsuka, M., Kato, F., dan Matsuda, Y., (2004). Effect of temperature and kneading solution on polymorphic transformation of mefenamic acid during granulation. *Solid State Ionics*, 172, 451-453.
- Phadnis, N. V. dan Suryanarayanan, R., (1997), Polymorphism in Anhydrous Theophylline -Implications on the Dissolution Rate of Theophylline Tablets, *Journal of Pharmaceutical Sciences*, 86, 1256-1263.
- Qu, H., Louhi-Kultanen, M., Rantanen, J., dan Kallas, J., (2006), Solvent-Mediated Phase Transformation Kinetics of an Anhydrate/Hydrate System, *Crystal Growth and Design*, 6(9), 2053-2060.
- Rai, U.S., dan George, S., (1996), Some Thermochemical Studies on Binary Faceted Organic Eutectic and 1:1 Molecular Complexes, *Journal of Thermal Analysis*, 46, 1809-1820.
- Räsänen, E., Rantanen, J., Jørgensen, A., Karjalainen, M., Paakkari, T., dan Yliruusi, J. 2001. Novel identification of pseudopolymorphic changes of theophylline during wet granulation using near infrared spectroscopy. *Journal of Pharmaceutical Sciences*, 90, 389-396.
- Räsänen, E., Rantanen, J., Mannermaa, J.-P., Yliruusi, J., dan Vuorela, H. (2003), Dehydration studies using a novel multichamber microscale fluid bed dryer with in-line nearinfrared measurement, *Journal of Pharmaceutical Sciences*, 92, 2074-2081.
- Rawal, B.D., dan Owen, W.R., (1971), Combined Action of Sulfamethoxazole, Trimethoprim, and Ethylenediaminetetraacetic Acid on *Pseudomonas aeruginosa*, *Applied Microbiology*, 21, 367-368.
- Rawle, A.F., (2008), *Particle Morphology and Characterization in Preformulation*, 169--170 dalam: Adeyeye, M.C., dan Brittain, H.G., Eds., *Preformulation in Solid Dosage Form Development*, Informa Healthcare, USA, Inc.
- Raw, A.S., Furness, M.S., Gill, D.S., Adams Jr., R.C., Holcombe, F.O., Yu, L.X., (2004), Regulatory Consideration of Pharmaceutical Solid Polymorphism in Abbreviated New Drug Applications (ANDAs), *Advanced Drug Delivery Reviews*, 56, 397– 414.
- Remenar, J.F., Morissette, S.L., Peterson, M.L., Moulton, B., MacPhee, M., Guzman, H., Almarsson, O, (2003), Crystal Engineering of Novel Co-crystals of a Triazole Drug with 1,4-Dicarboxylic Acids, *Journal of American Chemical Society*, 215, 8456– 8457.
- Sakata, Y., Tanabe, E., Sumikawa, T., Shiraishi, S., Tokudome, Y., dan Otsuka, M.,

(2007), Effect of Solid-State Reaction between Paracetamol and Cloperastine Hydrochloride on the Pharmaceutical Properties of Their Preparations, *International Journal of Pharmaceutics*, 335, 12-19.

Schmid, S., Muller-Goymann, C.C., dan Schmidt, P.C., (2000), Interaction During Aqueous Film Coating of Ibuprofen with Aquacoat ECD, *International Journal of Pharmaceutics*, 179, 35-39.

Sekiguchi, K. dan Obi, N. (1961), Studies on Absorption of Eutectic Mixture. I: A Comparison of the Behavior of Eutectic Mixtures of Sulfathiazole and that of Ordinary Sulfathiazole in Man., *Chemical and Pharmaceutical Bulletin*, 9, 866-872.

Serajuddin, A. T. M., (2007), Salt Formation to Improve Drug Solubility, *Advance Drug Delivery Review*, 59, 603-616.

Schultheiss, N., dan Newman, A., (2009), Pharmaceutical Cocrystal and Their Physicochemical Properties, *Crystal Growth and Design*, 9(6), 2950-2967.

Shakhtshneider, T.P. dan Boldyrev, V.V. (1993), Phase Transformations in Sulfathiazole during Mechanical Activation, *Drug Development and Industrial Pharmacy*, 19, 2055-2067.

Shakhtshneider, T.P., Vasilchenko, M.A., Politov, A.A., dan Boldyrev, V.V., (1997), Mechanochemical Preparation of Drug-Carrier Solid Dispersions, *Journal of Thermal Analysis*, 48, 491-501.

Shan, N., Toda, F., dan Jones, W., (2002), Mechanochemistry and Cocrystal Formation: Effect of Solvent on Reaction Kinetics, *Chemical Communication*, 2372-2373.

Shan, N., dan Zaworotko, M.J., (2008), The Role of Cocrystal in Pharmaceutical Science, *Drug Discovery Today*, 13, 440-446.

Shiraki, K., Takata, N., Takano, R., Hayashi, Y., dan Terada, K., (2008), Dissolution Improvement and Mechanism of the Improvement from Cocrystallization of Poorly Water-Soluble Compounds, *Pharmaceutical Research*,

Singhal, D., dan Curotalo, W., (2004), Drug Polymorphism and Dosage Form Design: a Practical Perspective, *Advanced Drug Delivery Reviews*, 56, 335-347.

Sjuib, F., dan Soewandhi, S.N, (1987), *Kimia Fisika Kristal dan Kepentingannya dalam Farmasi*, Departemen Farmasi ITB.

Skrdla, P.J., Antonucci, V., Crocker, L.S., Wenslow, R.M., Wright, L., dan Zhou, L.W., (2001), A Simple Quantitative FT-IR Approach for Study of a Polymorphic Transformation Under Crystallization Slurry Conditions, *Journal*

of Pharmaceutical and Biomedical Analysis, 25, 731-739.

- Soewandhi, N.S., dan Führer, C., (1983), Beitrag zur Aufklärung Kristallographischer Veränderungen von Arzneistoffen bei Mechanischer Bearbeitung, *Dissertation*, TU Carolo-Wilhelmina zu Braunschweig.
- Soewandhi, S.N., Pamudji, J.S., Mauluddin, R., Moegihardjo, (2005), Profil Disolusi Campuran Peritektik Mixed Crystal Ibuprofen dan Asetaminofen, *Acta Pharmaceutica Indonesia*, 30, 65-71.
- Soewandhi, S.N., (1999), Antaraksi Fisik Padatan Pada Kombinasi Senyawa Aprobarbital dan Isopropilantipirina, *Jurnal Matematika dan Sains*, 4(1), 20-31.
- Solihat, S.L., (2008), Pengaruh Pembentukan Senyawa Molekular Campuran Trimetoprim dan Sulfametoksazol terhadap Kelarutan Fasa Masing-Masing Komponennya, *Skripsi*, Institut Teknologi Bandung, 9-10.
- Sorrenti, M., Bettinetti, G.P., dan Negri, A., (1998), Thermoanalytical Characterization of Pseudopolymorphs of Sulphadimidine and Sulphadimidine-Trimethoprim Molecular Complexes, *Thermochimica Acta*, 321, 67-72.
- Stagner, W.C. dan Guillory, J.K. 1979. Physical Characterization of Solid Iopanoic Acid Forms, *Journal of Pharmaceutical Sciences*, 68, 1005-1009.
- Sumirtapura, Y.C., Pamudji, J.S., Rachmawati, H., dan Ida, N., (2008), Formulasi Tablet Glimepirid yang Memenuhi Faktor Similaritas terhadap Sediaan Inovator melalui Penerapan Berbagai Teknik Peningkatan Disolusi, *Prosiding Kongres Ilmiah XVI ISFI*, Yogyakarta.
- Sun, C.C., dan Hou, H., (2008), Improving Mechanical Properties of Caffeine and Methyl Gallate Crystals by Cocrystallization, *Crystal Growth and Design*, 8, 1575-1579.
- Takasuka, M., dan Nakai, H., (2001), IR and Raman Spectral and X-ray Structural Studies of Polymorphic Forms of Sulfamethoxazole, *Vibrational Spectroscopy*, 25, 197-204.
- Takata, N., Shiraki, K., Takano, R., Hayashi, Y., dan Terada, K., (2008), Cocrystal Screening of Stanolone and Mestanolone Using Slurry Crystallization, *Crystal Growth and Design*, 8(8), 3032-3037.
- Ticehurst, M.D., Basford, P.A., Dallman, C.I., Lukas, T., M., Marshall, P., V., Nichols, G., dan Smith, D., (2000), Characterisation of the Influence of Micronisation on the Crystallinity and Physical Stability of Revatropate Hydrobromide., *International Journal of Pharmaceutics*, 193, 247- 259

- Tiwary, A., dan Panpalia, G.M., (1999), Influence of Crystal Habit on Trimethoprim Suspension Formulation, *Pharmaceutical Research*, 16 (2), 261-165.
- Trask, A.V., Shan, N., Motherwell, W.D.S., Jones, W., Feng, S., Tan, R.B.H., dan Carpenter, K.J., (2005), *Chemical Communication*, 880-882.
- Trask, A.V., Motherwell, W.D.S., dan Jones, W., (2006), Physical Stability Enhancement of Theophylline via Cocrystallization, *International Journal of Pharmaceutics*, 320, 114-123.
- Trask, A.V., (2007), An Overview of Pharmaceutical Cocrystals as Intellectual Property, *Molecular Pharmaceutics*, 4(3), 301-309.
- Trask, A.V., dan Jones, W., (2005), Crystal Engineering of Organic Cocrystals by The Solid State Grinding Approach, *Topic on Current Chemistry*, 254, 41-70.
- Umeda, Y., Fukami, T., Furuishi, T., Suzuki, T., Makimura, M., Tonomo, K., (2007), Molecular Complex Consisting of Two Typical External Medicines: Intermolecular Interaction between Indomethacin and Lidocaine, *Chemical Pharmaceutical Bulletin*, 55(5), 832-836.
- Usui, F., dan Carstensen, J.T., (1985), Interaction in Solid State. II. Interaction of Sodium Bicarbonate and Tartaric Acid under Compressed Condition, *Journal of Pharmaceutical Sciences*, 74, 1293-1297.
- Viceras, C., Salem, I.I., Rodriguez Galan, I.C., Carezo Galan, A., Lopez Galindo, A., (1995), The Effect of Recrystallization on the Crystal Growth, Melting Point and Solubility of Ketokenazole, *Thermochimica Acta*, 268, 143-151.
- Vishweshwar, P., McMahon, J.A., Joanna, A.B., Zaworotko, M.J., (2006), Pharmaceutical Co-Crystal, *Journal of Pharmaceutical Sciences*, 95 (3), 499-516.
- Vippagunta S.R., Brittain, H.G., Grant, D.J.W., Crystalline solids, (2001), *Advanced Drug Delivery Reviews*, 48, 3-26.
- Ward, G.H. dan Schultz, R.K. (1995), Process-Induced Crystallinity Changes in Albuterol Sulfate and Its Effect on Powder Physical Stability, *Pharmaceutical Research*, 12, 773-779.
- Wang, S.L., Lin, S.L., dan Chen, T.F., (2001), Reaction Kinetics of Solid State Cyclization of Enalapril Maleate Investigated by Isothermal FT-IR Microscopic System, *Chemical Pharmaceutical Bulletin*, 49(4), 402-406.

- Wirth, D.D., Baertschi, S.W., dan Johnson, R.A., (1998), Maillard Reaction of Lactose and Fluoxetine Hydrochloride, a Secondary Amine, *Journal of Pharmaceutical Sciences*, 87, 31-39.
- Willart, J.F., dan Descamps, M., (2008), Solid State Amorphization of Pharmaceuticals, *Molecular Pharmaceutics*, 5(6), 905-920.
- Wong, M.W.Y. dan Mitchell, A.G. (1992), Physicochemical characterization of a phase change produced during the wet granulation of chlorpromazine hydrochloride and its effects on tableting, *International Journal of Pharmaceutics*, 88, 261-273.
- Wurster, D. E. dan Taylor, P. W. (1965), Dissolution rates, *Journal of Pharmaceutical Sciences*, 54, 169-175.
- Yang, S.S., and Guillory, J.K., (1972), Polymorphism in Sulfonamides, *Journal of Pharmaceutical Sciences*, 61 (1), 26-40.
- Yonemochi, E., Yoshioka, Y., Yoshihashi, Y., dan Terada, K., (2006), Application of XRD-DSC System to The Optimization of Manufacturing Process for The Freeze Dried Pharmaceuticals, *Journal of Thermal Analysis and Calorimetry*, 85(3), 693-697.
- Yoshihashi, Y., Kitano H., Yonemochi, E., dan Terada, K., (2000), Quantitative Correlation between initial Dissolution rate and Heat of Fusion Drug Substance, *International Journal of Pharmaceutics*, 204, 1-6.
- Yoshioka, S. dan Aso, Y. (2007), Correlations between Molecular Mobility and Chemical Stability During Storage of Amorphous Pharmaceuticals, *Journal of Pharmaceutical Science*, 96, 960-981.
- Zalac, S., Khan, M.Z., Gabelica, V., Tudja, M., Mestrovic, E., dan Romih, M., (1999), Paracetamol-Propyphenazone Interaction and Formulation Difficulties Associated with Eutectic Formation in Combination Solid Dosage Forms, *Chemical Pharmaceutical Bulletin*, 47(3) 302-307.
- Zhang, G.Z., Henry, R.F., Borchardt, T.B., dan Lou, X., (2007), Efficient Co-crystal Screening Using Solution Mediated Phase Transformation, *Journal of Pharmaceutical Science*, 96(5), 990-995.
- Zhang, G.Z, Law, D., Schmitt, E.A., Qiu, Y., (2004) Phase Transformation Considerations during Process Development and Manufacture of Solid Oral Dosage Forms, *Advanced Drug Delivery Reviews*, 56, 371– 390.

